



# 2023

**PRODUCT CATALOGUE**



# ATLAS ABRASIVES

COMPETITIVE SOLUTIONS  
FOR CUTTING,  
GRINDING, SANDING  
& FINISHING.



# CONTENTS

Atlas provides competitive solutions for cutting, grinding, sanding and finishing in the metal fabrication, maintenance and repair, wood, construction and hardware industries.

## INTRODUCTION

**04**

|                              |    |
|------------------------------|----|
| A strong brand heritage      | 04 |
| Differentiation in the range | 04 |
| Our markets                  | 05 |
| Supporting sustainability    | 06 |
| Merchandising displays       | 07 |
| MyAbrasives                  | 08 |

## CUTTING DISCS & GRINDING WHEELS

**09**

|                           |    |
|---------------------------|----|
| Understanding the product | 10 |
| Application colour coding | 10 |
| Pictograms                | 11 |
| Ultra Thin cutting        | 12 |
| Conventional cutting      | 13 |
| Grinding                  | 15 |
| Stationary machines       | 16 |
| Chop Saws                 | 17 |
| Petrol Saws               | 17 |

## COATED ABRASIVES

**19**

|                                               |    |
|-----------------------------------------------|----|
| Understanding the product                     | 20 |
| Pictograms                                    | 22 |
| Fibre discs & backup pads for Angle Grinders  | 23 |
| Flap discs for Angle Grinders                 | 24 |
| Discs for Orbital Sanders                     | 26 |
| Sheets for Manual sanding                     | 34 |
| Sponges for Manual sanding                    | 37 |
| Rolls for Manual sanding                      | 38 |
| Portable and narrow belts for Machine sanding | 42 |
| Flap wheels with spindle and with flanges     | 47 |
| Non-Woven discs for Angle Grinders            | 50 |

## CARBIDE BURRS

**51**

|                           |    |
|---------------------------|----|
| Understanding the product | 52 |
| Application by shape      | 53 |
| Product recommendation    | 53 |
| Carbide burrs             | 54 |

## DIAMOND BLADES

**55**

|                           |    |
|---------------------------|----|
| Understanding the product | 56 |
| Application colour coding | 56 |
| Pictograms                | 57 |
| Diamond blades            | 58 |

# A NEW BRAND IMAGE

This year, we're delighted to unveil a new brand design across the Atlas portfolio, from product packaging and merchandising, to the catalogue and website. Evolving the brand provides a fresh, contemporary look and feel. We've also spent time understanding what's important for our customers and end users when selecting the products they need. This is reflected in the use of larger branding across the design for instant recognition, improved use of colour coding for better differentiation between products, inclusion of application imagery and the addition of clear quality tier communication. In addition, the product portfolio itself has expanded, and now offers more coated abrasive solutions than ever before!

Whilst changes have been made, rest assured, we continue to provide value and simplicity through a cost-effective range of products with the same great quality you've come to expect from Atlas.



## DESIGN EVOLUTION

Improving communication through:

- Larger branding
- Use of brighter, more impactful colours.
- Addition of application imagery
- Clear quality tiering

## DIFFERENTIATION IN THE RANGE

Across many product lines, Atlas offers a choice of abrasive performance, providing better product differentiation with a new quality tiering system of 'good' (Bronze) and 'better' (Silver) based on price versus performance, aligned to customer needs.

**BRONZE**



### GOOD PRODUCT PERFORMANCE

Great value with the good performance you'd expect from Atlas, at a competitive price.

**SILVER**



### BETTER PRODUCT PERFORMANCE

Better overall performance, whether that's product life, cutting speed or material removal rate, satisfying your expectations for performance.

# OUR MARKETS

For performance and value, look no further than Atlas abrasives. We have products for cutting, grinding, sanding or finishing, a solution for your customers.



## METAL FABRICATION

At Atlas you'll find abrasives used in the manufacture of gates, fences, shutters, metal frames for industrial equipment, pre-fabricated metal sheets and scaffolding.



## MAINTENANCE & REPAIR OPERATIONS

Abrasive solutions for cutting and grinding, sanding and cleaning, in maintenance and repair applications.



## CONSTRUCTION & HARDWARE

You can rely on Atlas to provide safe & reliable products and solutions for building, renovating and improving our habitat.



## WOOD INDUSTRIES

Atlas caters for calibration, sanding and tool sharpening applications in the carpentry, furniture manufacturer, parquetry and chipboard industries.





# SUPPORTING SUSTAINABILITY

## IN THE ABRASIVES INDUSTRY

Saint-Gobain is proud to be an active member of SEAM - Sustainable European Abrasive Manufacturers.

An initiative from FEPA, the SEAM program guarantees that member organisations from within the abrasive supply chain manufacture and distribute products according to new standards, to support sustainable growth in production and distribution.

The aim is to balance environmental efficiency, production performance and labour safety by meeting a series of requirements related to three pillars:



**ENVIRONMENT**



**LABOUR**



**ECONOMY**

Saint-Gobain Abrasives is committed to preserving the environment and resources, reducing inequalities and improving daily life for all. It's more than an expectation, making a positive contribution has become a requirement for all our stakeholders. We all have a part to play in ensuring our processes, products and the health and safety of our employees is maintained and allows our industry to operate sustainably now and in the future.

**For more information visit [www.saint-gobainabrasives.com](http://www.saint-gobainabrasives.com)**



Sustainable European Abrasive Manufacturers



# MERCHANDISING DISPLAYS

Atlas branded product displays are available to showcase the product range in an easy, attractive way that is also space saving. Contact your local Atlas representative for more information.



## DISPLAY KIT

- The complete kit comes with all components needed to create a full display for any Atlas product range.
- Kit contains: Base x1, pegboards x4, header x1, shelf x1, bar with 5 pins x2, legs x2, pegs x72
- Accessories can be ordered separately if required.

| STAND KIT (mm)                | QTY | ART NO. |
|-------------------------------|-----|---------|
| Display:<br>2300 x 1030 x 500 | 1   | MTO     |

## PORTABLE DISPLAY

- Kit contains unit x1, header x1, pins x40, bar with 2 pins x4

| PORTABLE KIT (mm)            | QTY | ART NO. |
|------------------------------|-----|---------|
| Display:<br>1740 x 380 x 580 | 1   | MTO     |




# ONLINE ORDERING MADE EASY


With MyAbrasives, the ordering process is simple:



Search for your product



Add to basket



Go to checkout



## MAKING ORDERING EASIER:

1. Detailed product information and specifications, including images and videos
2. Access to order confirmations, product availability and delivery lead times
3. Available from smartphones, tablets and PCs 24/7
4. Automatically creates a list of most frequently ordered products for ease of future ordering
5. Save favourite lists to make ordering quicker and easier

## REGISTER TODAY

To register call your local customer service team and start using MyAbrasives today.

## MYABRASIVES FEATURES AND SERVICES INCLUDE:

- **Product search:** search by UPC, name, category, EAN number and filter and sort search results,
- **Order history and reordering:** see your past orders across all platforms (EDI, ABx, phone and fax). Invoices, debit/credit notes and shipping status will also be visible in the 'Order History' section
- **Quotes:** request and track quotes directly
- **Saved orders:** save orders for future reference by putting multiple items in your cart and saving. You can also add a note to indicate future order frequency
- **Bulk orders:** upload a CSV file directly into the system rather than having to search for each product individually
- **Recommended for you:** shows related products you may like to order
- **Extra support:** navigate the system with FAQs and how-to videos or contact our dedicated helpline





# CUTTING DISCS & GRINDING WHEELS

|                           |    |
|---------------------------|----|
| Understanding the product | 10 |
| Application colour coding | 10 |
| Pictograms                | 11 |
| Ultra Thin cutting        | 12 |
| Conventional cutting      | 13 |
| Grinding                  | 15 |
| Stationary machines       | 16 |
| Chop Saws                 | 17 |
| Petrol Saws               | 17 |



# UNDERSTANDING THE PRODUCT

## CUTTING DISCS & GRINDING WHEELS

- 1 APPLICATION PICTOGRAMS
- 2 MATERIALS
- 3 PRODUCT DIMENSIONS
- 4 MAXIMUM SPEED
- 5 PRODUCT APPLICATION
- 6 SAFETY SYMBOLS
- 7 SAFETY AND QUALITY CERTIFICATION
- 8 PRODUCT CODE
- 9 SCANNABLE EAN CODE



### METAL RING WITH VALIDITY DATE

V = VALIDITY DATE (PRODUCTION QUARTER + 3 YEAR)

V01 = 1st quarter    V04 = 2nd quarter    V07 = 3rd quarter    V10 = 4th quarter

### EXAMPLE:

V04/2025 indicates production in the 2nd quarter of 2022 and advised usage before the 2nd quarter of 2025

## APPLICATION COLOUR CODING



**METAL/INOX**




**INOX**




**STONE**

# PICTOGRAMS

## APPLICATION PICTOGRAMS




Inox



Metal



Alloy



Stone

## MACHINE PICTOGRAMS



Angle Grinder

Fixed Cut-Off  
Machine

Petrol Saw



Chop Saw

## SAFETY PICTOGRAMS

Wear ear  
protectionWear protective  
gloves

Wear a mask

Wear eye  
protectionRefer to instruction  
manual/bookletOnly permitted for grinding  
at an angle greater  
than 10°

Do not use for face grinding

Do not use  
if damagedDo not use with  
hand-held grinding  
machine

## GENERAL PRECAUTIONS

Safety instructions provided by the machine manufacturers must be followed. All guards, covers and hoods must be in place on the machine during grinding, and should not be modified in any way. Abrasives should not be used near inflammable material.

Sparks should be directed away from the face and body, if possible towards the floor. Dust extraction equipment must be used whenever it is available. The instructions for use given by the abrasive manufacturer must be followed e.g. 'Not to be used without a support', or 'Not to be used for wet grinding'. The workpiece must be firmly fixed before grinding starts. Check all abrasives visually before use and make certain that the product is suitable for the application. No modifications should be made to abrasive products after delivery. When using a portable grinder always switch it off and allow the spindle to stop completely before putting the tool down.




# ULTRA THIN CUTTING

## METAL INOX

SILVER ★★

### ULTRA THIN CUTTING DISCS

Sharp grain for fast cutting and a more comfortable cutting experience. The ultra thin disc glides through steel, stainless steel and cast iron. Free of iron, sulphur and chlorine.




| TYPE          | DIA (mm) | TxB (mm)  | PRODUCT SPECIFICATION | PK QTY | ART NO.     | EAN CODE      |
|---------------|----------|-----------|-----------------------|--------|-------------|---------------|
| CUTTING DISCS |          |           |                       |        |             |               |
| TYPE 41       | 125      | 1,0x22,23 | A 60 S-BF41           | 25     | 66252845213 | 8681282210305 |
|               | 230      | 1,9x22,23 | A 46 S-BF41           | 25     | 66253371391 | 8681282200122 |

## METAL INOX

BRONZE ★

### ULTRA THIN CUTTING DISCS

Ultra thin disc with good cut rate and a good price / quality ratio. For general trade and general usage in all steel applications. Free of iron, sulphur and chlorine.



| TYPE          | DIA (mm) | TxB (mm)  | PRODUCT SPECIFICATION | PK QTY | ART NO.     | EAN CODE      |
|---------------|----------|-----------|-----------------------|--------|-------------|---------------|
| CUTTING DISCS |          |           |                       |        |             |               |
| TYPE 41       | 115      | 1,0x22,23 | A 60 R-BF41           | 25     | 66252839845 | 8681282202096 |

## INOX

SILVER ★★

### ULTRA THIN CUTTING DISCS

Sharp grain for fast cutting and a more comfortable cutting experience. The ultra thin disc glides through stainless steel. Free of iron, sulphur and chlorine.



| TYPE          | DIA (mm) | TxB (mm)  | PRODUCT SPECIFICATION | PK QTY | ART NO.     | EAN CODE      |
|---------------|----------|-----------|-----------------------|--------|-------------|---------------|
| CUTTING DISCS |          |           |                       |        |             |               |
| TYPE 41       | 115      | 1,0x22,23 | A 60 V-BF41           | 25     | 66253370792 | 5900442828345 |
|               | 115      | 1,6x22,23 | A 60 V-BF41           | 25     | 66252846760 | 8681282226719 |
|               | 180      | 1,6x22,23 | A 46 V-BF41           | 25     | 66253371390 | 8681282200108 |

**INOX** **BRONZE** ★**ULTRA THIN CUTTING DISCS**

Ultra thin disc with good cut rate and a good price / quality ratio. For general trade and general usage in stainless steel applications. Free of iron, sulphur and chlorine.




| TYPE                 | DIA (mm) | TxB (mm)  | PRODUCT SPECIFICATION | PK QTY     | ART NO.     | EAN CODE      |
|----------------------|----------|-----------|-----------------------|------------|-------------|---------------|
| <b>CUTTING DISCS</b> |          |           |                       |            |             |               |
| TYPE 41              | 115      | 1,0x22,23 | A 60 T-BF41           | 25         | 66252828872 | 3157625119222 |
|                      | 115      | 1,0x22,23 | A 60 T-BF41           | SET of 10* | 66252848943 | 6111252836249 |
|                      | 115      | 1,6x22,23 | A 46 T-BF41           | 25         | 66252828873 | 6111252830865 |
|                      | 125      | 1,0x22,23 | A 60 T-BF41           | 25         | 66252828875 | 3157625119246 |
|                      | 125      | 1,0x22,23 | A 60 T-BF41           | SET of 10* | 66252838372 | 6111252835402 |
|                      | 125      | 1,6x22,23 | A 46 T-BF41           | 25         | 66252828876 | 6111252831046 |
|                      | 150      | 1,6x22,23 | A 46 T-BF41           | 25         | 66252829679 | 3157625134409 |
|                      | 180      | 1,6x22,23 | A 46 T-BF41           | 25         | 66252833782 | 5900442669351 |
|                      | 230      | 1,9x22,23 | A 46 T-BF41           | 25         | 66252921753 | 6111252830193 |

\* The set of cutting discs, contain 10 pcs, foil shrink wrapped.

# CONVENTIONAL CUTTING

**METAL INOX** **SILVER** ★★**CUTTING DISCS**

Fast cutting, longer lasting discs for use on steel, stainless steel and cast iron. Free of iron, sulphur and chlorine.




| TYPE                 | DIA (mm) | TxB (mm)  | PRODUCT SPECIFICATION | PK QTY | ART NO.     | EAN CODE      |
|----------------------|----------|-----------|-----------------------|--------|-------------|---------------|
| <b>CUTTING DISCS</b> |          |           |                       |        |             |               |
| TYPE 41              | 115      | 2,5x22,23 | A 30 S-BF41           | 25     | 66252846207 | 8681282217830 |
|                      | 115      | 3,0x22,23 | A 30 S-BF41           | 25     | 66253370734 | 8699309205128 |
|                      | 125      | 2,5x22,23 | A 30 S-BF41           | 25     | 66252846208 | 8681282217854 |
|                      | 180      | 3,0x22,23 | A 30 S-BF41           | 25     | 66253370735 | 8699309205142 |
|                      | 230      | 2,5x22,23 | A 30 S-BF41           | 25     | 66252849155 | 8681282236114 |
|                      | 230      | 3,0x22,23 | A 30 S-BF41           | 25     | 66253370775 | 8699309205166 |
|                      | 230      | 3,8x22,23 | A 30 S-BF41           | 25     | 66252804171 | 8681282200641 |
| TYPE 42              | 180      | 3,2x22,23 | A 30 S-BF42           | 25     | 66253370776 | 8699309205180 |
|                      | 230      | 3,2x22,23 | A 30 S-BF42           | 25     | 66253370777 | 8699309205203 |

## METAL INOX

BRONZE ★

### CUTTING DISCS

Good cut rate / price ratio. For use on steel and stainless steel. Free of iron, sulphur and chlorine.



| TYPE                                                                                         | DIA (mm) | TxB (mm)  | PRODUCT SPECIFICATION | PK QTY     | ART NO.     | EAN CODE      |
|----------------------------------------------------------------------------------------------|----------|-----------|-----------------------|------------|-------------|---------------|
| <b>CUTTING DISCS</b>                                                                         |          |           |                       |            |             |               |
| TYPE 41<br> | 100      | 2,5x16,0  | A 30 S-BF41           | SET of 10* | 66252844479 | 6111252832418 |
|                                                                                              | 115      | 2,5x22,23 | A 30 S-BF41           | 25         | 66252828874 | 6111252830117 |
|                                                                                              | 115      | 2,5x22,23 | A 30 S-BF41           | SET of 10* | 66252844480 | 6111252832432 |
|                                                                                              | 125      | 2,5x22,23 | A 30 S-BF41           | 25         | 66252828877 | 6111252831060 |
|                                                                                              | 125      | 2,5x22,23 | A 30 S-BF41           | SET of 10* | 66252844481 | 6111252832456 |
|                                                                                              | 150      | 2,5x22,23 | A 30 S-BF41           | 25         | 66252828878 | 6111252831268 |
|                                                                                              | 180      | 2,5x22,23 | A 30 S-BF41           | 25         | 66252828880 | 6111252830162 |
|                                                                                              | 230      | 2,0x22,23 | A 30 S-BF41           | 25         | 66252828881 | 3157625118652 |
|                                                                                              | 230      | 2,5x22,23 | A 30 S-BF41           | SET of 5*  | 66252844473 | 6111252832470 |
| TYPE 42<br> | 115      | 3,0x22,23 | A 30 R-BF42           | 25         | 66252828884 | 6111252830131 |
|                                                                                              | 125      | 3,0x22,23 | A 30 R-BF42           | 25         | 66252828885 | 6111252830155 |
|                                                                                              | 180      | 3,0x22,23 | A 30 R-BF42           | 25         | 66252828886 | 6111252830179 |
|                                                                                              | 230      | 3,0x22,23 | A 30 R-BF42           | 25         | 66252828887 | 6111252830216 |

\* The set of cutting discs, contain 10 or 5 pcs, foil shrink wrapped.

## STONE

BRONZE ★

### CUTTING DISCS

Good cut rate / price ratio. For use on stone and brick.



| TYPE                                                                                           | DIA (mm) | TxB (mm)  | PRODUCT SPECIFICATION | PK QTY | ART NO.     | EAN CODE      |
|------------------------------------------------------------------------------------------------|----------|-----------|-----------------------|--------|-------------|---------------|
| <b>CUTTING DISCS</b>                                                                           |          |           |                       |        |             |               |
| TYPE 42<br> | 115      | 3,0x22,23 | C 30 S-BF42           | 25     | 66252828900 | 6111252830926 |
|                                                                                                | 125      | 3,0x22,23 | C 30 S-BF42           | 25     | 66252828901 | 6111252831121 |
|                                                                                                | 230      | 3,0x22,23 | C 30 S-BF42           | 25     | 66252828903 | 6111252831527 |




# GRINDING

## METAL INOX

**SILVER** ★★

### GRINDING WHEELS

Great material removal rate on steel and stainless steel. Free of iron, sulphur, and chlorine.




| TYPE                  | DIA (mm) | TxB (mm)  | PRODUCT SPECIFICATION | PK QTY | ART NO.     | EAN CODE      |
|-----------------------|----------|-----------|-----------------------|--------|-------------|---------------|
| <b>GRINDING DISCS</b> |          |           |                       |        |             |               |
| TYPE 27               | 115      | 6,4x22,23 | A 30 P-BF27           | 10     | 66253370738 | 8699309205227 |
|                       | 115      | 6,4x22,23 | A 30 S-BF27           | 10     | 66253370727 | 8699309205029 |
|                       | 125      | 6,4x22,23 | A 30 P-BF27           | 10     | 66253370726 | 8699309205005 |
|                       | 125      | 6,4x22,23 | A 30 S-BF27           | 10     | 66253370728 | 8699309205043 |
|                       | 180      | 6,4x22,23 | A 30 P-BF27           | 10     | 66253370749 | 8699309205241 |
|                       | 180      | 6,4x22,23 | A 30 S-BF27           | 10     | 66253370729 | 8699309205067 |
|                       | 180      | 8,0x22,23 | A 30 P-BF27           | 10     | 66253370750 | 8699309205265 |
|                       | 180      | 8,0x22,23 | A 30 S-BF27           | 10     | 66253370730 | 8699309205081 |
|                       | 230      | 6,4x22,23 | A 30 S-BF27           | 10     | 66252846688 | 8681282225262 |
|                       | 230      | 8,0x22,23 | A 30 P-BF27           | 10     | 66253370752 | 8699309205289 |
|                       | 230      | 8,0x22,23 | A 30 S-BF27           | 10     | 66253370731 | 8699309205104 |

## METAL INOX

**BRONZE** ★

### GRINDING WHEELS

Good cut rate / price ratio. For use on steel and stainless steel.



| TYPE                  | DIA (mm) | TxB (mm)  | PRODUCT SPECIFICATION | PK QTY | ART NO.     | EAN CODE      |
|-----------------------|----------|-----------|-----------------------|--------|-------------|---------------|
| <b>GRINDING DISCS</b> |          |           |                       |        |             |               |
| TYPE 27               | 115      | 6,0x22,23 | A 24 R-BF27           | 10     | 66252828866 | 6111252830346 |
|                       | 125      | 6,0x22,23 | A 24 R-BF27           | 10     | 66252828867 | 6111252831022 |
|                       | 150      | 6,0x22,23 | A 24 R-BF27           | 10     | 66252828868 | 6111252831244 |
|                       | 180      | 6,0x22,23 | A 24 R-BF27           | 10     | 66252828869 | 6111252830186 |
|                       | 230      | 6,0x22,23 | A 24 R-BF27           | 10     | 66252828870 | 6111252830230 |

## FOUNDRY

**SILVER** ★★

### GRINDING WHEELS

Specially designed for rough applications in the toughest environments. Additional layers of reinforcements for working under the highest side pressure without the risk of breakage. For cast iron and stainless steel. Free of iron, sulphur and chlorine.



| TYPE                  | DIA (mm) | TxB (mm)  | PRODUCT SPECIFICATION | PK QTY | ART NO.     | EAN CODE      |
|-----------------------|----------|-----------|-----------------------|--------|-------------|---------------|
| <b>GRINDING DISCS</b> |          |           |                       |        |             |               |
| TYPE 27               | 115      | 6,4x22,23 | A 24 P-BF27           | 10     | 66252839626 | 8681282201990 |
|                       | 180      | 8,0x22,23 | A 24 P-BF27           | 10     | 66252839625 | 8681282201976 |

# STATIONARY MACHINES

**STEEL** **SILVER** ★★

## CUTTING DISCS

For use under constant power in heavy cutting applications. High cut rate and long life. For use on steel.



| TYPE          | DIA<br>(mm) | TxB<br>(mm) | PRODUCT<br>SPECIFICATION | PK<br>QTY | ART NO.     | EAN CODE      |
|---------------|-------------|-------------|--------------------------|-----------|-------------|---------------|
| CUTTING DISCS |             |             |                          |           |             |               |
| TYPE 41       | 350         | 3,5x25,4    | A 24 S-BF41              | 10        | 66253371451 | 8699309292609 |

**STEEL** **BRONZE** ★

## CUTTING DISCS

Good cut rate / price ratio. For cutting steel with a stationary saw.



| TYPE          | DIA<br>(mm) | TxB<br>(mm) | PRODUCT<br>SPECIFICATION | PK<br>QTY | ART NO.     | EAN CODE      |
|---------------|-------------|-------------|--------------------------|-----------|-------------|---------------|
| CUTTING DISCS |             |             |                          |           |             |               |
| TYPE 41       | 350         | 3,5x32,0    | A 24 R-BF41              | 10        | 66252918892 | 3157625411159 |
|               | 400         | 4,0x32,0    | A 24 R-BF41              | 10        | 66252829684 | 3157625119208 |

# CHOP SAWS

## STEEL **SILVER** ★★

### CUTTING DISCS

General purpose cutting discs for all steel chop saw applications. Gives a straight, fast cut throughout long wheel life.



| TYPE                 | DIA (mm) | TxB (mm) | PRODUCT SPECIFICATION | PK QTY | ART NO.     | EAN CODE      |
|----------------------|----------|----------|-----------------------|--------|-------------|---------------|
| <b>CUTTING DISCS</b> |          |          |                       |        |             |               |
| TYPE 41              | 300      | 3,0x25,4 | A 24 T-BF41           | 10     | 66252847080 | 8681282231713 |
|                      | 350      | 3,0x25,4 | A 30 S-BF41           | 10     | 66253371031 | 8681282200085 |

## STEEL **BRONZE** ★

### CUTTING DISCS

Good cut rate / price ratio. For cutting steel with a chop saw.



| TYPE                 | DIA (mm) | TxB (mm) | PRODUCT SPECIFICATION | PK QTY | ART NO.     | EAN CODE      |
|----------------------|----------|----------|-----------------------|--------|-------------|---------------|
| <b>CUTTING DISCS</b> |          |          |                       |        |             |               |
| TYPE 41              | 300      | 2,8x25,4 | A 36 P-BF41           | 10     | 66252829681 | 6111252831787 |
|                      | 300      | 2,8x32,0 | A 36 P-BF41           | 10     | 66252828802 | 3157625118942 |
|                      | 350      | 2,8x32,0 | A 36 P-BF41           | 10     | 66252829682 | 3157625118980 |
|                      | 356      | 2,8x25,4 | A 36 P-BF41           | 10     | 66252829683 | 3157625119192 |

# PETROL SAWS

## STEEL **BRONZE** ★

### CUTTING DISC

Good cut rate / price ratio. For cutting steel with a petrol saw.



| TYPE                | DIA (mm) | TxB (mm) | PRODUCT SPECIFICATION | PK QTY | ART NO.     | EAN CODE      |
|---------------------|----------|----------|-----------------------|--------|-------------|---------------|
| <b>CUTTING DISC</b> |          |          |                       |        |             |               |
| TYPE 41             | 300      | 3,5x20,0 | A 24 R-BF41           | 10     | 66252828799 | 3157625121409 |

## NOTES





# COATED ABRASIVES

|                                               |    |
|-----------------------------------------------|----|
| Introduction                                  | 20 |
| Pictograms                                    | 22 |
| Fibre discs & backup pads for Angle Grinders  | 23 |
| Flap discs for Angle Grinders                 | 24 |
| Discs for Orbital Sanders                     | 26 |
| Sheets for Manual sanding                     | 34 |
| Sponges for Manual sanding                    | 37 |
| Rolls for Manual sanding                      | 38 |
| Portable and narrow belts for Machine sanding | 42 |
| Flap wheels with spindle and with flanges     | 47 |
| Non-Woven discs for Angle Grinders            | 50 |




# UNDERSTANDING THE PRODUCT

## COATED ABRASIVES

Atlas has a range of fiber discs, flap discs, belts, discs, rolls, sheets and flap wheels for applications including heavy stock removal, grinding, cleaning, blending and finishing operations.

### WHAT IS A COATED ABRASIVE?

When abrasive grain is strongly fixed to a flexible backing using adhesive, this is known as a 'coated' abrasive. The adhesive is applied with a minimum of two applications. The first, or 'maker' coat adheres the abrasive grain to the backing ensuring correct orientation. After curing, the second 'size' coat is applied. The size adhesive, united with the maker bond, provides final grain anchoring and the proper total adhesive level for the finished product.



### ABRASIVE TYPES

The ideal abrasive grain offers maximum resistance to wear, yet fractures before serious dulling occurs, satisfying both stock removal and finishing requirements.

#### THE TYPES OF GRAIN MOST COMMONLY USED ARE:

**Aluminium oxide:** tough grain for grinding high tensile materials, such as carbon steel, alloy steels, tough bronze and hard woods. Wherever toughness (ability to resist fracturing) is the main consideration, aluminium oxide out performs all other coated abrasive grains. A great solution for users looking for an affordable abrasive product.


**Zirconia alumina,** unique self-sharpening grain for long life on demanding stock removal and heavy grinding operations. Ideal for planing wood, due to the controlled fracturing of the grain, which continuously produces sharp abrasive points. Has an excellent price vs. performance ratio.

### BACKING TYPES

Whether paper, cloth, vulcanised fibre, a cotton or polyester film, the backing must be smooth enough for uniform adhesive coating, strong enough to withstand grinding pressures and flexible enough to conform to contours (if necessary).

## ABRASIVE GRAIN TYPES

The ideal abrasive grain offers maximum resistance to wear, yet fractures before serious dulling occurs, to satisfy stock removal and finishing requirements.

| GRAIN TYPE             | BOND / TOUGHNESS       | STRUCTURE              | PROPERTIES / WEAR PROPERTIES                                                                                                                              |
|------------------------|------------------------|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| SILICONE CARBIDE (SIC) | Very hard / less tough | Crystalline            | Sharp-edged, brittle, highly friable / micro wear<br>                   |
| ALUMINIUM OXIDE        | Hard / tough           | Crystalline, irregular | Wedge-shaped, block grain, even wear<br>                                |
| ZIRCONIA ALUMINA       | Hard / very tough      | Crystalline, even      | Wedge-shaped, block, drop formed grit / micro wear, self-sharpening<br> |

## SAFETY IN USE

All coated abrasives should be handled carefully. Safety goggles, safety gloves, dust masks should be worn. Safety instructions provided by machine manufacturers must be followed. Make sure the abrasive is suitable for the application before use. No modifications should be made to the product.


## STORAGE CONDITIONS

Coated abrasives should be stored in dry frost free conditions. They should be kept away from cold and damp, and not be exposed to high temperature variations or direct sunlight. Excessively dry or humid storage may incur deformation.




# PICTOGRAMS


## APPLICATION PICTOGRAMS




Inox




Metal



Ferrous &  
Non-Ferrous Metal



Hard & Soft Wood



Stone



Paint / Varnish

## MACHINE PICTOGRAMS



Angle Grinder




Orbit Sander



Backsatnd Belt Machine



Portable Belt  
Machine



Satinex Machine



Straight Shaft Machine



Pedestal Grinder

## SAFETY PICTOGRAMS



Wear ear  
protection



Wear protective  
gloves



Wear a mask



Wear eye  
protection



Refer to instruction  
manual/booklet



Only permitted for grinding  
at an angle greater  
than 10°



Do not use  
for face grinding



Do not use  
if damaged



Do not use with  
hand-held grinding  
machine




# FIBER DISCS AND BACK-UP PADS FOR ANGLE GRINDERS

## FIBRE DISCS

**BRONZE**

Aluminium oxide fibre discs for processing steel and metal alloys.



| DIMENSIONS (mm) | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------------|------|--------|-------------|---------------|
| 115x22          | 16   | 10     | 78072755030 | 8719362302678 |
|                 | 24   | 10     | 78072755031 | 8719362302685 |
|                 | 36   | 10     | 78072755033 | 8719362302692 |
|                 | 40   | 10     | 78072755035 | 8719362302708 |
|                 | 50   | 10     | 78072755036 | 8719362302715 |
|                 | 60   | 10     | 78072755037 | 8719362302722 |
|                 | 80   | 10     | 78072755039 | 8719362302739 |
|                 | 100  | 10     | 78072755042 | 8719362302746 |
|                 | 120  | 10     | 78072755043 | 8719362302753 |
| 125x22          | 16   | 10     | 78072755108 | 8719362302760 |
|                 | 24   | 10     | 78072755113 | 8719362302777 |
|                 | 36   | 10     | 78072755114 | 8719362302784 |
|                 | 40   | 10     | 78072755146 | 8719362302791 |
|                 | 50   | 10     | 78072755147 | 8719362302807 |
|                 | 60   | 10     | 78072755148 | 8719362302814 |
|                 | 80   | 10     | 78072755149 | 8719362302821 |
|                 | 100  | 10     | 78072755150 | 8719362302838 |
|                 | 120  | 10     | 78072755151 | 8719362302845 |
| 180x22          | 16   | 10     | 78072755152 | 8719362302852 |
|                 | 24   | 10     | 78072755153 | 8719362302869 |
|                 | 36   | 10     | 78072755154 | 8719362302876 |
|                 | 40   | 10     | 78072755155 | 8719362302883 |
|                 | 50   | 10     | 78072755156 | 8719362302890 |
|                 | 60   | 10     | 78072755157 | 8719362302906 |
|                 | 80   | 10     | 78072755158 | 8719362302913 |
|                 | 100  | 10     | 78072755159 | 8719362302920 |
|                 | 120  | 10     | 78072755161 | 8719362302937 |

## BACK-UP PADS



| DIMENSIONS (mm) | FIXING | PK QTY | ART NO.     | EAN CODE      |
|-----------------|--------|--------|-------------|---------------|
| 115             | M14    | 1      | 66261052374 | 3157625944435 |
| 125             | M14    | 1      | 66261052376 | 3157625944442 |
| 180             | M14    | 1      | 66261052377 | 3157625944459 |

# FLAP DISCS FOR ANGLE GRINDERS



## ZIRCONIUM FLAP DISC

**SILVER** ★★

Sharp zirconium grain for a fast cut from the very beginning. Tough polyester backing for excellent product life and more material removal with one disc. Lower disc wear for longer grinding time, without loss of cut throughout disc life. Ideal on medium to high pressure applications on carbon steel and hard metals.



| SIZE (mm)                                                                                        | GRIT | PK QTY | ART NO.      | EAN CODE      |
|--------------------------------------------------------------------------------------------------|------|--------|--------------|---------------|
| <b>CONICAL FIBER PAD</b>                                                                         |      |        |              |               |
| 115x22,23<br>   | 40   | 10     | 78072754862* | 8681282237616 |
|                                                                                                  | 60   | 10     | 78072754865* | 8681282237623 |
|                                                                                                  | 80   | 10     | 78072754867* | 8681282237630 |
|                                                                                                  | 120  | 10     | 78072754869* | 8681282237647 |
| 125x22,23<br>   | 40   | 10     | 78072757963* | 8681282237661 |
|                                                                                                  | 60   | 10     | 78072757964* | 8681282237678 |
|                                                                                                  | 80   | 10     | 78072757965* | 8681282237685 |
|                                                                                                  | 120  | 10     | 78072757966* | 8681282237692 |
| 180x22,23<br> | 40   | 10     | 78072754872* | 8681282237715 |
|                                                                                                  | 60   | 10     | 78072754874* | 8681282237654 |


\* NOT available for EU countries



## ZIRCONIUM FLAP DISC

**BRONZE** ★

Fast cutting and good material removal rate. Ideal for use with battery-powered angle grinders: provides best product life per battery charge. Ideal for low and medium pressure applications. Blend of zirconium grain. Cotton cloth. Comfortable work and low vibration levels. Good performance/price ratio.



| SIZE (mm)                                                                                        | GRIT | PK QTY | ART NO.     | EAN CODE      |
|--------------------------------------------------------------------------------------------------|------|--------|-------------|---------------|
| <b>FLAT FIBER PAD</b>                                                                            |      |        |             |               |
| 115x22,23<br> | 40   | 10     | 78072729402 | 8719362271479 |
|                                                                                                  | 60   | 10     | 78072729408 | 8719362271486 |
|                                                                                                  | 80   | 10     | 78072729409 | 8719362271493 |
|                                                                                                  | 120  | 10     | 78072729410 | 8719362271806 |
| 125x22,23<br> | 40   | 10     | 78072715156 | 8719362245647 |
|                                                                                                  | 60   | 10     | 78072715161 | 8719362245654 |
|                                                                                                  | 80   | 10     | 78072715164 | 8719362245661 |
|                                                                                                  | 120  | 10     | 78072715165 | 8719362245678 |



## ZIRCONIUM FLAP DISC

**BRONZE** ★

Fast cutting and good material removal rate. Ideal for use with battery-powered angle grinders: provides best product life per battery charge. Ideal for low and medium pressure applications. Blend of zirconium grain. Cotton cloth backing. Comfortable work and low vibration levels. Good performance/price ratio.



| SIZE (mm)                | GRIT | PK QTY | ART NO.     | EAN CODE      |
|--------------------------|------|--------|-------------|---------------|
| <b>CONICAL FIBER PAD</b> |      |        |             |               |
| 115x22,23<br>            | 40   | 10     | 78072707146 | 8719362230438 |
|                          | 60   | 10     | 78072707158 | 8719362230445 |
|                          | 80   | 10     | 78072707159 | 8719362230452 |
| 125x22,23<br>            | 120  | 10     | 78072707160 | 8719362230469 |
|                          | 40   | 10     | 78072707161 | 8719362230476 |
|                          | 60   | 10     | 78072707162 | 8719362230483 |
|                          | 80   | 10     | 78072707163 | 8719362230490 |
|                          | 120  | 10     | 78072707164 | 8719362230704 |

## ALUMINIUM OXIDE FLAP DISC

**BRONZE** ★

Good material removal rate. Suitable for grinding and cleaning normal to medium iron, steel and metals. Consistent performance for improved part quality. Blend of aluminium oxide grain.



| SIZE (mm)                | GRIT | PK QTY | ART NO.      | EAN CODE      |
|--------------------------|------|--------|--------------|---------------|
| <b>CONICAL FIBER PAD</b> |      |        |              |               |
| 115x22,23<br>            | 40   | 10     | 78072702827* | 8681282219841 |
|                          | 60   | 10     | 78072702828* | 8681282219735 |
|                          | 80   | 10     | 78072702829* | 8681282219858 |
|                          | 120  | 10     | 78072751193* | 8681282237814 |
| 180x22,23<br>            | 40   | 10     | 78072709687* | 8681282223565 |
|                          | 60   | 10     | 78072709686* | 8681282223558 |
|                          | 80   | 10     | 78072709688* | 8681282224012 |

\* NOT available for EU countries

## DISC SHAPES


### TYPE 29 CONICAL

- For both contoured surfaces and edge work
- Angled flaps offer greater contact when removing stock on flat surfaces
- The best choice for fast stock removal



### TYPE 27 FLAT

- For use on flat surfaces
- Best choice for blending & finishing



# DISCS FOR ORBITAL SANDERS

## SANDING DISCS 130

SILVER ★★

### SELF-GRIP

Premium Aluminium oxide grain for an improved cut-rate. D weight paper backing for longer product life and support when sanding. Designed for dry applications on all kinds of painted and primed surfaces in automotive, marine and construction applications or wood sanding.



| DIM (mm)       | GRIT | PK QTY | ART NO.     | EAN CODE      |
|----------------|------|--------|-------------|---------------|
| <b>5 HOLES</b> |      |        |             |               |
| 115            | 40   | 100    | 69957301791 | 8698526215682 |
|                | 60   | 100    | 69957301801 | 8698526217341 |
|                | 80   | 100    | 69957301813 | 8698526214975 |
|                | 100  | 100    | 69957317304 | 8681282214822 |
|                | 120  | 100    | 69957301846 | 8698526217365 |
|                | 150  | 100    | 69957317319 | 8681282207213 |
|                | 180  | 100    | 69957317320 | 8681282214556 |
|                | 220  | 100    | 69957301887 | 8698526215729 |
|                | 320  | 100    | 69957301906 | 8699309006824 |
|                | 400  | 100    | 69957317321 | 8681282227211 |
| 125            | 40   | 100    | 69957301792 | 8698526214708 |
|                | 60   | 100    | 69957301802 | 8698526214821 |
|                | 80   | 100    | 69957301816 | 8698526215019 |
|                | 100  | 100    | 69957301831 | 8698526215149 |
|                | 120  | 100    | 69957301849 | 8698526215279 |
|                | 150  | 100    | 69957301864 | 8698526215392 |
|                | 180  | 100    | 69957301876 | 8698526215538 |
| <b>6 HOLES</b> |      |        |             |               |
| 125            | 40   | 100    | 69957301793 | 8698526214715 |
|                | 60   | 100    | 69957301803 | 8698526214838 |
|                | 80   | 100    | 69957301817 | 8698526215026 |
|                | 100  | 100    | 69957301832 | 8698526215156 |
|                | 120  | 100    | 69957301850 | 8698526215286 |
|                | 220  | 50     | 69957301888 | 8698526215750 |
|                | 320  | 50     | 69957317325 | 8681282210015 |
| 150            | 40   | 100    | 69957301795 | 8698526214746 |
|                | 60   | 100    | 69957301807 | 8698526208974 |
|                | 80   | 100    | 69957301821 | 8698526208981 |
|                | 100  | 100    | 69957301835 | 8698526215187 |
|                | 120  | 100    | 69957301852 | 8698526208998 |
|                | 150  | 100    | 69957301869 | 8698526215446 |
|                | 180  | 100    | 69957301882 | 8698526215606 |
|                | 220  | 100    | 69957301890 | 8698526215781 |
|                | 320  | 100    | 69957301909 | 8698526216085 |
|                | 400  | 100    | 69957301920 | 8698526216184 |





# SANDING DISCS 130 (CONTINUED)

## SELF-GRIP

**SILVER** ★★

| DIM (mm)        | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------------|------|--------|-------------|---------------|
| <b>NO HOLES</b> |      |        |             |               |
| 115             | 40   | 100    | 69957301790 | 8698526214685 |
|                 | 60   | 100    | 69957301799 | 8698526214791 |
|                 | 80   | 100    | 69957301812 | 8698526214968 |
|                 | 100  | 100    | 69957301829 | 8698526215125 |
|                 | 120  | 100    | 69957301845 | 8698526215248 |
|                 | 150  | 100    | 69957301861 | 8698526215378 |
|                 | 180  | 100    | 69957301875 | 8698526215514 |
|                 | 220  | 100    | 69957301886 | 8698526215712 |
|                 | 320  | 100    | 69957301905 | 8698526216023 |
|                 | 400  | 100    | 69957301916 | 8698526216139 |
| 125             | 40   | 100    | 69957301794 | 8698526214739 |
|                 | 60   | 100    | 69957301805 | 8698526214852 |
|                 | 80   | 100    | 69957301819 | 8698526215040 |
|                 | 100  | 100    | 69957301834 | 8698526215170 |
|                 | 120  | 100    | 69957301848 | 8698526215262 |
|                 | 150  | 100    | 69957301867 | 8698526215422 |
|                 | 180  | 100    | 69957301878 | 8698526215552 |
|                 | 220  | 100    | 69957301889 | 8698526215774 |
|                 | 320  | 100    | 69957301908 | 8698526216078 |
|                 | 400  | 100    | 69957301918 | 8698526216160 |
| 150             | 40   | 100    | 69957301796 | 8698526214760 |
|                 | 60   | 100    | 69957301809 | 8698526214883 |
|                 | 80   | 100    | 69957301823 | 8698526215088 |
|                 | 100  | 100    | 69957301837 | 8698526215200 |
|                 | 120  | 100    | 69957301854 | 8698526209216 |
|                 | 150  | 100    | 69957301868 | 8698526215439 |
|                 | 180  | 100    | 69957301881 | 8698526215590 |
|                 | 220  | 100    | 69957301892 | 8698526215804 |
|                 | 320  | 100    | 69957301911 | 8698526216108 |
|                 | 400  | 100    | 69957301919 | 8698526216177 |
| 200             | 40   | 100    | 69957301798 | 8698526214784 |
|                 | 60   | 100    | 69957301811 | 8698526214906 |
|                 | 80   | 100    | 69957301825 | 8698526217358 |
|                 | 100  | 100    | 69957301841 | 8698526215224 |
|                 | 120  | 100    | 69957301858 | 8698526215330 |
|                 | 150  | 100    | 69957301872 | 8698526215484 |
|                 | 180  | 100    | 69957301884 | 8698526215620 |
|                 | 220  | 100    | 69957301894 | 8698526215828 |
|                 | 320  | 100    | 69957301912 | 8698526216122 |
|                 | 400  | 100    | 69957301921 | 8698526216207 |

Other sizes and hole patterns are available on request. For more information or contact your local sales representative.






## SANDING DISCS GF08

SILVER ★★

### SELF-GRIP

Premium Aluminium oxide grain for good cut rate and consistent scratch pattern for a quality result from start to finish on paint, varnish and fillers. Flexible film backing resists tearing and provides longer product life. Can be used wet or dry. High-quality self-grip discs can be securely fixed onto suitable back-up pads.



| DIM (mm) | GRIT | PK QTY | ART NO.     | EAN CODE      |
|----------|------|--------|-------------|---------------|
| 6 HOLES  |      |        |             |               |
| 150      | 80   | 50     | 69957302876 | 8699309137559 |
|          | 100  | 50     | 69957302884 | 8699309137542 |
|          | 120  | 50     | 69957302891 | 8699309137870 |
|          | 150  | 50     | 69957302900 | 8699309137566 |
|          | 180  | 50     | 69957302914 | 8699309137573 |
|          | 220  | 50     | 69957302924 | 8699309137580 |
|          | 240  | 50     | 69957317506 | 8681282210022 |
|          | 320  | 50     | 69957302933 | 8699309201380 |
|          | 400  | 50     | 69957302940 | 8699309138815 |
|          | 600  | 50     | 69957302947 | 8699309139492 |
|          | 800  | 50     | 69957302950 | 8699309139508 |
| NO HOLES |      |        |             |               |
| 125      | 80   | 50     | 69957302873 | 8699309143024 |
|          | 100  | 50     | 69957302886 | 8699309143031 |
|          | 120  | 50     | 69957302890 | 8699309201373 |
|          | 150  | 50     | 69957302905 | 8699309201366 |
|          | 180  | 50     | 69957302910 | 8699309141143 |
|          | 220  | 50     | 69957302921 | 8699309141150 |
|          | 280  | 50     | 69957302928 | 8699309174127 |
|          | 400  | 50     | 69957317435 | 8681282216727 |
|          | 800  | 50     | 69957317438 | 8681282223428 |
| 150      | 80   | 50     | 69957302875 | 8699309168539 |
|          | 100  | 50     | 69957317442 | 8681282216741 |
|          | 120  | 50     | 69957317443 | 8681282209057 |
|          | 150  | 50     | 69957317445 | 8681282216895 |
|          | 180  | 50     | 69957317447 | 8681282218028 |
|          | 220  | 50     | 69957302923 | 8699309206798 |
| 8 HOLES  |      |        |             |               |
| 225      | 100  | 50     | 69957302888 | 8699309172345 |
|          | 120  | 50     | 69957302897 | 8699309172352 |
|          | 150  | 50     | 69957302907 | 8699309172369 |
|          | 180  | 50     | 69957302916 | 8699309173038 |

Other sizes and hole patterns are available on request. For more information or contact your local sales representative.




# SANDING DISCS P37C

**SILVER** ★★

## SELF-GRIP

Premium heat-treated aluminium oxide abrasive blend for better cut rate and consistent scratch pattern for a quality result from start to finish. Reinforced lightweight paper backing provides better flexibility and finish than discs with heavier backing, discs can even be folded for hand use. The stearate coating applied to the grain resists dust buildup and clogging and extends the life of the disc so you can work longer without changing the product, saving time and money. Designed for wet or dry sanding.



| DIM (mm)          | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-------------------|------|--------|-------------|---------------|
| <b>NO HOLES</b>   |      |        |             |               |
| 115               | 80   | 100    | 69957304532 | 8699309209850 |
|                   | 120  | 100    | 69957304542 | 8699609202179 |
|                   | 150  | 100    | 69957304550 | 8699309210085 |
|                   | 180  | 100    | 69957317463 | 8681282208920 |
|                   | 220  | 100    | 69957304566 | 8699309209843 |
|                   | 240  | 100    | 69957317464 | 8681282218363 |
|                   | 280  | 100    | 69957317467 | 8681282208043 |
|                   | 320  | 100    | 69957304581 | 8699609202186 |
| 125               | 400  | 100    | 69957304585 | 8699309882459 |
|                   | 80   | 100    | 69957304534 | 8699309282204 |
|                   | 120  | 100    | 69957304543 | 8699309283041 |
|                   | 150  | 100    | 69957304551 | 8699609202674 |
|                   | 180  | 100    | 69957304558 | 8699609244216 |
|                   | 220  | 100    | 69957304567 | 8699309210337 |
|                   | 320  | 100    | 69957317474 | 8681282206711 |
|                   | 400  | 100    | 69957304589 | 8681282207817 |
| 150               | 80   | 100    | 69957304536 | 8699309210467 |
|                   | 120  | 100    | 69957304545 | 8699309210474 |
|                   | 150  | 100    | 69957304553 | 8699309209829 |
|                   | 180  | 100    | 69957317479 | 8681282213665 |
|                   | 220  | 100    | 69957304569 | 8699609203916 |
|                   | 240  | 100    | 69957317480 | 8681282231812 |
|                   | 280  | 100    | 69957317481 | 8681282208364 |
| <b>14+1 HOLES</b> |      |        |             |               |
| 150               | 80   | 100    | 78072700004 | 8681282217625 |
|                   | 120  | 100    | 78072700010 | 8681282217588 |
|                   | 150  | 100    | 78072700014 | 8681282217632 |
|                   | 220  | 100    | 78072719370 | 8681282229161 |
|                   | 240  | 100    | 78072700016 | 8681282217649 |
|                   | 320  | 100    | 78072700018 | 8681282217656 |
|                   | 400  | 100    | 78072700030 | 8681282240524 |
|                   | 600  | 100    | 78072726928 | 8681282232468 |

Other sizes and hole patterns are available on request. For more information or contact your local sales representative.




# SANDING DISCS A293

BRONZE ★

## SELF-GRIP

Aluminium oxide grain provides a fast cut when sanding wood, composites, paint or metal. The strong paper backing is tear resistant, while providing good flexibility. No-Fil® coating and hole configuration improves load resistance for longer disc life.



| DIM (mm)   | GRIT | PK QTY | ART NO.     | EAN CODE      |
|------------|------|--------|-------------|---------------|
| 14+1 HOLES |      |        |             |               |
| 150        | 80   | 100    | 66254406189 | 3157629210369 |
|            | 100  | 100    | 66254406191 | 3157629210383 |
|            | 120  | 100    | 66254406181 | 3157629210284 |
|            | 150  | 100    | 66254406183 | 3157629210307 |
|            | 180  | 100    | 66254406197 | 3157629210451 |
|            | 220  | 100    | 66254406198 | 3157629210468 |
|            | 240  | 100    | 66254406202 | 3157629210505 |
|            | 320  | 100    | 66254406184 | 3157629210314 |
|            | 400  | 100    | 66254406205 | 3157629210536 |
|            | 500  | 100    | 66254406207 | 3157629210567 |
|            | 600  | 100    | 66254406209 | 3157629210581 |
|            | 800  | 100    | 66254406213 | 3157629210628 |

Other sizes and hole patterns are available on request. For more information or contact your local sales representative.

## SAFETY IN USE

- Wear appropriate personal protective equipment at all times.
- The face of the abrasive should not be in contact with the floor or workbench.
- Store the machine away safely after use.
- Only start to sand when the machine is 'up to speed', except on pneumatic random orbital machines which must be started with light pressure on the disc.
- When using self-gripping discs, use only light pressure on the machine when in use.
- Do not allow overheating of the disc to occur.







# SANDING DISCS 157

**SILVER** ★★

Aluminium oxide abrasive and heavy paper backing design for roughing, intermediate sanding & finishing of solid wood on floor & furniture applications. Semi-open / open coat (depending on grit size) reduces clogging on the disc for longer life. The anti-static properties of the disc enable excellent surface quality



| DIM (mm)        | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------------|------|--------|-------------|---------------|
| <b>NO HOLES</b> |      |        |             |               |
| 115             | 40   | 100    | 69957304407 | 8698526207717 |
|                 | 60   | 100    | 69957304423 | 8698526207731 |
|                 | 80   | 100    | 69957304439 | 8698526223854 |
|                 | 100  | 100    | 69957304456 | 8698526207786 |
|                 | 120  | 100    | 69957304474 | 8698526223915 |
|                 | 150  | 100    | 69957304492 | 8699309000648 |
|                 | 180  | 100    | 69957304501 | 8699309202325 |
|                 | 220  | 100    | 69957304511 | 8699309201151 |
|                 | 280  | 100    | 69957304521 | 8699609203848 |
| 125             | 40   | 100    | 69957304409 | 8698526223793 |
|                 | 60   | 100    | 69957304426 | 8698526208899 |
|                 | 80   | 100    | 69957304441 | 8698526208929 |
|                 | 100  | 100    | 69957304458 | 8698526223885 |
|                 | 120  | 100    | 69957304477 | 8698526208943 |
|                 | 150  | 100    | 69957304490 | 8699309000389 |
|                 | 180  | 100    | 69957304503 | 8699309200895 |
| 200             | 40   | 100    | 69957304418 | 8698526223823 |
|                 | 60   | 100    | 69957304435 | 8698526223847 |
|                 | 80   | 100    | 69957304451 | 8699309205814 |
|                 | 100  | 100    | 69957304467 | 8698526207793 |

|                |     |     |             |               |
|----------------|-----|-----|-------------|---------------|
| <b>5 HOLES</b> |     |     |             |               |
| 115            | 40  | 100 | 69957304408 | 8698526296520 |
|                | 60  | 100 | 69957304424 | 8698526296537 |
|                | 80  | 100 | 69957304440 | 8698526206642 |
|                | 100 | 100 | 69957304457 | 8698526289034 |
|                | 120 | 100 | 69957304475 | 8698526296544 |
|                | 150 | 100 | 69957304496 | 8699309131229 |
|                | 180 | 100 | 69957304502 | 8699309202615 |



## SANDING DISCS 157 (CONTINUED)

SILVER ★★




| DIM (mm)       | GRIT | PK QTY | ART NO.     | EAN CODE      |
|----------------|------|--------|-------------|---------------|
| <b>6 HOLES</b> |      |        |             |               |
| 150            | 40   | 100    | 69957304464 | 8698526223908 |
|                | 60   | 50     | 69957304481 | 8698526223939 |
|                | 80   | 100    | 69957304494 | 8699309000655 |
|                | 100  | 100    | 69957304506 | 8699309201809 |
|                | 120  | 100    | 69957304516 | 8699309202400 |
|                | 150  | 100    | 69957304524 | 8699309882299 |
|                | 180  | 100    | 69957304416 | 8698526223816 |
|                | 220  | 100    | 69957304431 | 8698526280376 |
|                | 280  | 100    | 69957304448 | 8698526223878 |
| <b>8 HOLES</b> |      |        |             |               |
| 225            | 40   | 50     | 69957304412 | 8699309173458 |
|                | 60   | 50     | 69957304422 | 8699309173434 |
|                | 80   | 50     | 69957304454 | 8699309169055 |
|                | 100  | 50     | 69957304469 | 8699309170457 |
|                | 120  | 100    | 69957304487 | 8699309141006 |
|                | 150  | 50     | 69957304499 | 8699309141020 |
|                | 180  | 50     | 69957304508 | 8699309201878 |
|                | 220  | 50     | 69957304519 | 8699309173526 |

Other sizes and hole patterns are available on request. For more information or contact your local sales representative.

## GREEN TIGER 888

SILVER ★★

High performance aluminium oxide grain designed for manual or machine sanding operations in all kinds of wood, metal and automotive applications. Flexible paper impregnated with latex, used in wet or dry applications, easily adapts to indented surfaces.



| DIM (mm)        | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------------|------|--------|-------------|---------------|
| <b>NO HOLES</b> |      |        |             |               |
| 125             | 80   | 50     | 78072747097 | 8681282238699 |
|                 | 100  | 50     | 78072747099 | 8681282238705 |
|                 | 120  | 50     | 78072747100 | 8681282240739 |
|                 | 150  | 50     | 78072747101 | 8681282235568 |
|                 | 180  | 50     | 78072747102 | 8681282238712 |
|                 | 220  | 50     | 78072747104 | 8681282238729 |
| 150             | 40   | 50     | 78072747133 | 8681282235162 |
|                 | 60   | 50     | 78072747134 | 8681282235179 |
|                 | 80   | 50     | 78072747135 | 8681282235186 |
|                 | 100  | 50     | 78072747137 | 8681282235247 |
|                 | 120  | 50     | 78072747138 | 8681282234813 |
|                 | 150  | 50     | 78072747139 | 8681282235599 |
|                 | 180  | 50     | 78072747140 | 8681282235605 |
|                 | 220  | 50     | 78072747141 | 8681282235612 |

Other sizes and hole patterns are available on request. For more information or contact your local sales representative.





SANDING DISCS 130

SILVER ★★

SELF ADHESIVE

Aluminium oxide abrasive provides good cutting performance. Medium weight paper backing for good support when sanding.



| DIM (mm) | GRIT | PK QTY | ART NO.     | EAN CODE      |
|----------|------|--------|-------------|---------------|
| 6 HOLES  |      |        |             |               |
| 150      | 40   | 100    | 69957301734 | 8698526212087 |
|          | 60   | 100    | 69957301742 | 8698526212193 |
|          | 80   | 100    | 69957301748 | 8698526212308 |
|          | 120  | 100    | 69957301762 | 8698526212568 |
|          | 150  | 100    | 69957301765 | 8698526212612 |
|          | 220  | 100    | 69957301776 | 8698526217068 |

Other sizes and hole patterns are available on request. For more information or contact your local sales representative.



# SHEETS FOR MANUAL SANDING

## SANDING SHEETS 130

SILVER ★★

Premium Aluminium oxide grain for an improved cut-rate. D weight paper backing for longer product life and support when sanding. Designed for dry applications on all kinds of painted and primed surfaces in automotive, marine and construction applications or wood sanding.



| DIM (mm)  | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------|------|--------|-------------|---------------|
| 230 x 280 | 40   | 50     | 69957301699 | 8698526200206 |
|           | 60   | 50     | 69957301700 | 8698526200213 |
|           | 80   | 50     | 69957301701 | 8698526200220 |
|           | 100  | 50     | 69957301702 | 8698526200237 |
|           | 120  | 50     | 69957301703 | 8698526200244 |
|           | 150  | 50     | 69957301704 | 8698526200251 |
|           | 180  | 50     | 69957301705 | 8698526200268 |
|           | 220  | 50     | 69957301706 | 8698526200275 |
|           | 320  | 50     | 69957301709 | 8698526200305 |
|           | 400  | 50     | 69957301711 | 8698526200312 |

## SANDING SHEETS P37C

SILVER ★★

Premium heat-treated aluminium oxide abrasive blend for better cut rate and consistent scratch pattern for a quality result from start to finish. Reinforced lightweight paper backing provides better flexibility and finish than sheets with heavier backing. The stearate coating applied to the grain resists dust buildup and clogging and extends the life so you can work longer without changing the product, saving time and money. Designed for wet or dry sanding.



| DIM (mm)  | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------|------|--------|-------------|---------------|
| 230 x 280 | 80   | 50     | 78072718886 | 8681282240548 |
|           | 120  | 50     | 78072718887 | 8681282240555 |
|           | 150  | 50     | 78072718888 | 8681282240562 |
|           | 180  | 50     | 78072718889 | 8681282240579 |
|           | 220  | 50     | 78072718890 | 8681282240586 |
|           | 320  | 50     | 78072718891 | 8681282240593 |
|           | 400  | 50     | 78072718892 | 8681282240609 |

## SANDING SHEETS A257

BRONZE ★

Aluminium oxide abrasive with light paper backing provides flexibility in use and a smooth finish. Ideal for use on wood, primers, lacquers and light metal working.




| DIM (mm)  | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------|------|--------|-------------|---------------|
| 225 x 275 | C40  | 50     | 63642569106 | 7895316392047 |
|           | C60  | 50     | 63642569107 | 7895316392290 |
|           | C80  | 50     | 63642569108 | 7895316392559 |
|           | C120 | 50     | 63642569109 | 7895316392641 |
|           | C180 | 50     | 63642569110 | 7895316392924 |
|           | C220 | 50     | 63642569111 | 7895316392986 |

## WATERPROOF SANDING SHEETS 188

**SILVER** ★★

High performance aluminium oxide grain designed for manual or machine sanding operations in all kinds of wood, metal and automotive applications. Flexible paper impregnated with latex, used in wet or dry applications, easily adapts to indented surfaces.



| DIM (mm)  | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------|------|--------|-------------|---------------|
| 230 x 280 | 60   | 50     | 69957301595 | 8698526296643 |
|           | 80   | 50     | 69957301596 | 8698526296650 |
|           | 100  | 50     | 69957301597 | 8698526296667 |
|           | 120  | 50     | 69957301598 | 8698526296674 |
|           | 150  | 50     | 69957301600 | 8698526296681 |
|           | 180  | 50     | 69957301601 | 8698526296698 |
|           | 220  | 50     | 69957301602 | 8698526296704 |
|           | 240  | 50     | 69957301603 | 8698526296711 |
|           | 280  | 50     | 69957301604 | 8698526296728 |
|           | 320  | 50     | 69957301605 | 8698526296735 |
|           | 360  | 50     | 69957301606 | 8698526298692 |
|           | 400  | 50     | 69957301607 | 8698526296742 |
|           | 500  | 50     | 69957301608 | 8698526296759 |
|           | 600  | 50     | 69957301609 | 8698526298708 |
|           | 800  | 50     | 69957301610 | 8698526200152 |
|           | 1000 | 50     | 69957301611 | 8698526200169 |
|           | 1200 | 50     | 69957301612 | 8698526200176 |
|           | 1500 | 50     | 69957301613 | 8698526200183 |
|           | 2000 | 50     | 69957301614 | 8698526200190 |



| GRIT         | PK QTY | ART NO.     | EAN CODE      |
|--------------|--------|-------------|---------------|
| <b>KIT 1</b> |        |             |               |
| 240          | 50     | 69957301615 | 8698526205287 |
| 280          | 50     |             |               |
| 320          | 50     |             |               |
| 360          | 50     |             |               |
| 400          | 50     |             |               |
| 500          | 50     |             |               |
| 600          | 50     |             |               |
| 800          | 50     |             |               |
| 1000         | 50     |             |               |
| 1200         | 50     |             |               |



| GRIT         | PK QTY | ART NO.     | EAN CODE      |
|--------------|--------|-------------|---------------|
| <b>KIT 2</b> |        |             |               |
| 60           | 50     | 69957301617 | 8698526205294 |
| 80           | 50     |             |               |
| 100          | 50     |             |               |
| 120          | 50     |             |               |
| 150          | 50     |             |               |
| 180          | 50     |             |               |
| 220          | 50     |             |               |



# GREEN TIGER SANDING SHEETS 888

BRONZE ★

High performance aluminium oxide grain designed for manual or machine sanding operations in all kinds of wood, metal and automotive applications. Flexible paper impregnated with latex, used in wet or dry applications, easily adapts to indented surfaces.




| DIM (mm)  | GRIT  | PK QTY | ART NO.     | EAN CODE      |
|-----------|-------|--------|-------------|---------------|
| 230 x 280 | 60    | 50     | 78072740576 | 8681282240623 |
|           | 80    | 50     | 78072740578 | 8681282232642 |
|           | 100   | 50     | 78072740582 | 8681282240630 |
|           | 120   | 50     | 78072740584 | 8681282240647 |
|           | 150   | 50     | 78072740588 | 8681282240654 |
|           | 180   | 50     | 78072740589 | 8681282240661 |
|           | 220   | 50     | 78072740590 | 8681282234226 |
|           | 280   | 50     | 78072740592 | 8681282240678 |
|           | 320   | 50     | 78072740595 | 8681282240685 |
|           | 360   | 50     | 78072740596 | 8681282240692 |
|           | 500   | 0      | 69957304692 | 8699309001430 |
|           | 600   | 50     | 78072740599 | 8681282240708 |
|           | 800   | 50     | 78072740600 | 8681282234325 |
|           | 1000  | 50     | 78072740601 | 8681282238651 |
|           | 1200  | 50     | 78072740602 | 8681282238668 |
|           | ASST1 | 50     | 69957304700 | 8699309001492 |
|           | ASST2 | 50     | 69957304703 | 8699309001508 |

# SPONGES FOR MANUAL SANDING



## FOUR SIDED SANDING SPONGE BRONZE ★

Can be used wet or dry. Conforms to surface shapes and contours, providing a uniform finish. Aluminium oxide grain. Washable & robust, can be reused, extending product life. Used for sanding applications on surfaces such as metal, wood, plastic, fiberglass, plaster.



| DIM (mm)     | GRIT | PK QTY | ART NO.     | EAN CODE      |
|--------------|------|--------|-------------|---------------|
| 4 SIDES BULK |      |        |             |               |
| 98 x 68 x 26 | 60   | 50     | 78072740857 | 8681282233915 |
|              | 80   | 50     | 78072740859 | 8681282234080 |
|              | 100  | 50     | 78072740860 | 8681282234097 |
|              | 120  | 50     | 78072740862 | 8681282234103 |
|              | 150  | 50     | 78072740863 | 8681282234110 |
|              | 180  | 50     | 78072740864 | 8681282234233 |
|              | 220  | 50     | 78072740865 | 8681282234240 |





# ROLLS FOR MANUAL SANDING

## SANDING ROLLS 145S

SILVER ★★

Premium aluminium oxide abrasive. Super flexible cotton cloth. Semi-open grain distribution for reduced clogging. Ideal for contour & profile sanding. Long life in wood & metal applications.



| DIM (mm)  | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------|------|--------|-------------|---------------|
| 200 x 50M | 60   | 1      | 69957302747 | 8698526207434 |
|           | 80   | 1      | 69957302750 | 8698526207229 |
|           | 100  | 1      | 69957302754 | 8698526207335 |
|           | 120  | 1      | 69957302757 | 8698526207045 |
|           | 150  | 1      | 69957302761 | 8698526207694 |
|           | 180  | 1      | 69957302764 | 8698526207267 |
|           | 220  | 1      | 69957302766 | 8698526207328 |
|           | 240  | 1      | 69957302769 | 8698526209230 |
|           | 280  | 1      | 69957302770 | 8698526207571 |
|           | 320  | 1      | 69957302773 | 8698526206901 |
|           | 400  | 1      | 69957302778 | 8698526207342 |

Other widths & lengths are available on request. For more information or contact your local sales representative.

## SANDING ROLLS 147

SILVER ★★

Ideal solution on applications requiring high performance, designed for all kinds of metal, aluminium, hard/soft plywood surfaces. It is a cotton-polyester blend cloth abrasive, ideal for sanding applications. Semi-flexible structure, while adapting to the surface shape, maintains its performance for a long time without any problems.



| DIM (mm)  | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------|------|--------|-------------|---------------|
| 150 x 50M | 36   | 1      | 69957302648 | 8698526206161 |
|           | 50   | 1      | 69957302659 | 8698526206284 |
|           | 80   | 1      | 69957302673 | 8698526206390 |
|           | 120  | 1      | 69957302688 | 8698526206499 |
|           | 220  | 1      | 69957317487 | 8681282240500 |
|           | 320  | 1      | 69957317489 | 8681282240517 |
| 200 x 50M | 24   | 1      | 69957302645 | 8698526205881 |
|           | 36   | 1      | 69957302649 | 8681282203215 |
|           | 40   | 1      | 69957302655 | 8698526205904 |
|           | 50   | 1      | 69957302661 | 8698526205911 |
|           | 60   | 1      | 69957302664 | 8698526205928 |
|           | 80   | 1      | 69957302674 | 8698526205935 |
|           | 100  | 1      | 69957302681 | 8698526205942 |
|           | 120  | 1      | 69957302689 | 8698526294366 |
|           | 150  | 1      | 69957302694 | 8698526205966 |
|           | 180  | 1      | 69957302700 | 8698526205973 |
|           | 220  | 1      | 69957302704 | 8698526205997 |
|           | 240  | 1      | 69957302709 | 8698526206000 |
|           | 280  | 1      | 69957302714 | 8698526206017 |
|           | 320  | 1      | 69957302717 | 8698526206024 |
|           | 400  | 1      | 69957302721 | 8698526206031 |

Other widths & lengths are available on request. For more information or contact your local sales representative.





## SANDING ROLLS 147 (CONTINUED)

**SILVER** ★★


| DIM (mm)  | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------|------|--------|-------------|---------------|
| 250 x 50M | 24   | 1      | 69957302646 | 8698526206130 |
|           | 36   | 1      | 69957302650 | 8698526206178 |
|           | 40   | 1      | 69957302656 | 8698526206239 |
|           | 60   | 1      | 69957302665 | 8698526206338 |
|           | 80   | 1      | 69957302675 | 8698526206406 |
|           | 100  | 1      | 69957302682 | 8698526206451 |
|           | 120  | 1      | 69957302690 | 8698526206505 |
|           | 150  | 1      | 69957302695 | 8698526206567 |
|           | 180  | 1      | 69957302701 | 8699309204848 |
|           | 220  | 1      | 69957302711 | 8699309204855 |
|           | 240  | 1      | 69957302710 | 8698526207144 |
|           | 280  | 1      | 69957302676 | 8699309204800 |
|           | 320  | 1      | 69957302696 | 8699309204831 |
|           | 400  | 1      | 69957302722 | 8698526209162 |

Other widths & lengths are available on request. For more information or contact your local sales representative.



# GREEN TIGER SANDING ROLLS 847

SILVER ★★

Aluminium oxide abrasive grain for high performance on all kinds of metal, aluminium and hard/soft plywood surfaces.  
Cotton-polyester blend cloth abrasive adapts perfectly to the shape of the surface.  
Ideal for contour and profile sanding. Long life in wood & metal applications.




| DIM (mm)  | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------|------|--------|-------------|---------------|
| 150 x 50M | 40   | 1      | 69957302792 | 8699309002543 |
|           | 60   | 1      | 69957302798 | 8699309002550 |
|           | 80   | 1      | 69957302804 | 8699309002567 |
|           | 100  | 1      | 69957302808 | 8699309002062 |
|           | 120  | 1      | 69957302814 | 8699309004059 |
|           | 150  | 1      | 69957302819 | 8699309005803 |
|           | 180  | 1      | 69957302823 | 8699309003694 |
|           | 220  | 1      | 69957302828 | 8699309003328 |
|           | 240  | 1      | 69957317503 | 8681282217472 |
|           | 320  | 1      | 69957302839 | 8699309005353 |
|           | 400  | 1      | 69957302844 | 8699309007814 |
|           | 500  | 1      | 69957302848 | 8699309199182 |
|           | 600  | 1      | 69957302852 | 8699309131465 |
|           |      |        |             |               |
| 200 x 50M | 24   | 1      | 69957302784 | 8699309004974 |
|           | 36   | 1      | 69957302788 | 8699309003045 |
|           | 40   | 1      | 69957302791 | 8699309001522 |
|           | 50   | 1      | 69957302796 | 8699309003809 |
|           | 60   | 1      | 69957302799 | 8699309001546 |
|           | 80   | 1      | 69957302805 | 8699309001553 |
|           | 100  | 1      | 69957302810 | 8699309001560 |
|           | 120  | 1      | 69957302816 | 8699309001515 |
|           | 150  | 1      | 69957302820 | 8699309001539 |
|           | 180  | 1      | 69957302824 | 8699309005124 |
|           | 220  | 1      | 69957302829 | 8699309004707 |
|           | 240  | 1      | 69957302837 | 8699309004103 |
|           | 280  | 1      | 69957302833 | 8699309003816 |
|           | 320  | 1      | 69957302840 | 8699309005377 |
|           | 400  | 1      | 69957302845 | 8699309007821 |
|           | 500  | 1      | 69957302849 | 8699309102373 |
|           | 600  | 1      | 69957302853 | 8699309102403 |
|           |      |        |             |               |
|           |      |        |             |               |
| 250 x 50M | 36   | 1      | 69957302789 | 8699309003052 |
|           | 40   | 1      | 69957302793 | 8699309002338 |
|           | 50   | 1      | 69957317504 | 8681282229314 |
|           | 60   | 1      | 69957302800 | 8699309002345 |
|           | 80   | 1      | 69957302806 | 8699309002352 |
|           | 120  | 1      | 69957302815 | 8699309004066 |
|           | 220  | 1      | 69957302830 | 8699309201472 |
|           | 280  | 1      | 69957302835 | 8699309201489 |
|           | 320  | 1      | 69957302842 | 8699309201496 |
|           |      |        |             |               |

Other widths & lengths are available on request. For more information or contact your local sales representative.

## FOAM ROLLS P37C

**SILVER** ★★

Exceptional flexibility and foam lamination for better conformability to various surfaces. Roll folds without tearing and conforms to contours. Special steriate layer applied to grain minimises clogging for load resistance and longer product life. Pre-perforated rolls can be torn off from the dispenser box to the desired length.




| DIM (mm)  | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------|------|--------|-------------|---------------|
| 115 x 25M | 80   | 1      | 69957304601 | 8699309209027 |
|           | 120  | 1      | 69957304602 | 8699309209041 |
|           | 150  | 1      | 69957304603 | 8699309209058 |
|           | 180  | 1      | 69957304605 | 8699309209034 |
|           | 220  | 1      | 69957304607 | 8699309209065 |
|           | 240  | 1      | 69957304608 | 8699309209072 |
|           | 280  | 1      | 69957304609 | 8699309209089 |
|           | 320  | 1      | 69957304610 | 8699309209096 |
|           | 400  | 1      | 69957304611 | 8699309209102 |
|           | 600  | 1      | 69957304612 | 8699309209119 |
|           | 800  | 1      | 69957304613 | 8699309209126 |

## FOAM ROLLS A296, GREEN TIGER

**BRONZE** ★

Aluminium oxide rolls with a foam backing which provides flexibility, conforming to curves and contours. Strong & long lasting. Recommended for sanding or cleaning of filler or primer.



| DIM (mm)  | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------|------|--------|-------------|---------------|
| 115 x 25M | 80   | 1      | 78072754038 | 8681282240746 |
|           | 120  | 1      | 78072754040 | 8681282240753 |
|           | 150  | 1      | 78072754042 | 8681282237432 |
|           | 180  | 1      | 78072754043 | 8681282237449 |
|           | 220  | 1      | 78072754046 | 8681282240760 |
|           | 240  | 1      | 78072754047 | 8681282240777 |
|           | 320  | 1      | 78072754050 | 8681282240784 |
|           | 400  | 1      | 78072754052 | 8681282240791 |

# PORTABLE BELTS

## PORTABLE BELTS 147

SILVER ★★

Aluminium oxide grain and X-weight polycotton backing give these belts good performance, life and flexibility on contoured parts.



| DIM (mm)  | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------|------|--------|-------------|---------------|
| 75 x 457  | 24   | 10     | 69957303366 | 8698526208073 |
|           | 36   | 10     | 69957303387 | 8698526208080 |
|           | 40   | 10     | 69957303405 | 8698526208097 |
|           | 50   | 10     | 69957303436 | 8698526208103 |
|           | 60   | 10     | 69957303456 | 8698526208110 |
|           | 80   | 10     | 69957303506 | 8698526208127 |
|           | 100  | 10     | 69957303560 | 8698526208134 |
|           | 120  | 10     | 69957303591 | 8698526208141 |
| 75 x 533  | 24   | 10     | 69957303367 | 8699609202247 |
|           | 36   | 10     | 69957303388 | 8698526208394 |
|           | 40   | 10     | 69957303409 | 8699309099697 |
|           | 60   | 10     | 69957303459 | 8699309172277 |
|           | 80   | 10     | 69957303510 | 8698526298777 |
|           | 120  | 10     | 69957303593 | 8699309172284 |
| 100 x 610 | 24   | 10     | 69957303369 | 8698526208691 |
|           | 36   | 10     | 69957303389 | 8699309130864 |
|           | 40   | 10     | 69957303412 | 8698526205751 |
|           | 60   | 10     | 69957303462 | 8698526208738 |
|           | 80   | 10     | 69957303515 | 8698526205775 |
|           | 100  | 10     | 69957303567 | 8698526206703 |
|           | 120  | 10     | 69957303596 | 8698526208769 |
|           | 150  | 10     | 77696098882 | 8681282217373 |

Other widths & lengths are available on request. For more information or contact your local sales representative.

## PORTABLE BELTS 847, GREEN TIGER

SILVER ★★

High performance on all kinds of metal, aluminum, hard/soft plywood surfaces. Aluminium oxide abrasive grain. Cotton-polyester blend cloth backing, ideal for contour & profile sanding. Long life in wood & metal applications.



| DIM (mm) | GRIT | PK QTY | ART NO.     | EAN CODE      |
|----------|------|--------|-------------|---------------|
| 75 x 457 | 24   | 10     | 69957303921 | 8699309028758 |
|          | 36   | 10     | 69957303933 | 8699309030416 |
|          | 40   | 10     | 69957303955 | 8699309001614 |
|          | 60   | 10     | 69957304003 | 8699309036852 |
|          | 80   | 10     | 69957304055 | 8699309006701 |
|          | 100  | 10     | 69957304121 | 8699309044031 |
|          | 120  | 10     | 69957304159 | 8699309006718 |



## GREEN TIGER PORTABLE BELTS

**SILVER** ★★

High performance on all kinds of metal, aluminum, hard/soft plywood surfaces. Aluminium oxide abrasive grain. Cotton-polyester blend cloth backing, ideal for contour & profile sanding. Long life in wood & metal applications.



| DIM (mm)  | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------|------|--------|-------------|---------------|
| 75 x 533  | 36   | 10     | 69957303935 | 8699309030447 |
|           | 40   | 10     | 69957303958 | 8699309132493 |
|           | 60   | 10     | 69957304004 | 8699309107910 |
|           | 80   | 10     | 69957304060 | 8699309040545 |
|           | 100  | 10     | 69957304122 | 8699309044123 |
|           | 120  | 10     | 69957304160 | 8699309134992 |
| 100 x 610 | 24   | 5      | 69957303924 | 8699309028901 |
|           | 36   | 5      | 69957303937 | 8699309130888 |
|           | 40   | 10     | 69957303960 | 8699309101819 |
|           | 60   | 10     | 69957304006 | 8699309007784 |
|           | 80   | 10     | 69957304062 | 8699309007852 |
|           | 100  | 10     | 69957304124 | 8699309101826 |
|           | 120  | 10     | 69957304161 | 8699309001867 |

Other widths & lengths are available on request. For more information or contact your local sales representative.

## GREEN TIGER R230 PORTABLE BELTS

**SILVER** ★★

Hard aluminium oxide abrasive for good product life. Ideal for sanding wood and metal. Good cut rate on low pressure finishing operations. Open grain distribution for reduced clogging and loading material such as wood & aluminium



| DIM (mm)  | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------|------|--------|-------------|---------------|
| 75 x 457  | 40   | 10     | 63642569047 | 5900442240314 |
|           | 60   | 10     | 63642569048 | 6426031057723 |
|           | 80   | 10     | 63642569049 | 6426031057730 |
|           | 100  | 10     | 63642569050 | 6426031057747 |
|           | 120  | 10     | 63642569051 | 5900442240352 |
| 75 x 533  | 40   | 10     | 63642569052 | 5900442240420 |
|           | 60   | 10     | 63642569053 | 5900442240437 |
|           | 80   | 10     | 63642569054 | 5900442240444 |
|           | 100  | 10     | 63642569055 | 6426031057754 |
|           | 120  | 10     | 63642569056 | 5900442240468 |
| 100 x 560 | 40   | 10     | 63642569057 | 5900442240628 |
|           | 60   | 10     | 63642569058 | 5900442240666 |
|           | 80   | 10     | 63642569059 | 5900442240673 |
|           | 100  | 10     | 63642569060 | 5900442240680 |
|           | 120  | 10     | 63642569061 | 5900442240697 |
| 100 x 610 | 40   | 10     | 63642569062 | 5900442240710 |
|           | 60   | 10     | 63642569063 | 5900442240727 |
|           | 80   | 10     | 63642569064 | 5900442240734 |
|           | 100  | 10     | 63642569065 | 5900442240741 |
|           | 120  | 10     | 63642569066 | 5900442240765 |
| 100 x 620 | 40   | 10     | 63642569067 | 5900442240789 |
|           | 60   | 10     | 63642569068 | 5900442240796 |
|           | 80   | 10     | 63642569069 | 5900442240819 |
|           | 100  | 10     | 63642569070 | 5900442240826 |
|           | 120  | 10     | 63642569071 | 5900442240833 |

Other widths & lengths are available on request. For more information or contact your local sales representative.

# NARROW BELTS

## NARROW BELTS R895

SILVER ★★

Sharp zirconia grain for good material removal and long life. Heavy Y-weight polyester cloth backing provides good support in demanding or heavy applications.



| DIM (mm)   | GRIT | PK QTY | ART NO.     | EAN CODE      |
|------------|------|--------|-------------|---------------|
| 50 x 2000  | 40   | 10     | 78072755837 | 8681282240876 |
|            | 60   | 10     | 78072755835 | 8681282240869 |
|            | 80   | 10     | 78072756009 | 8681282240906 |
| 100 x 1150 | 24   | 10     | 78072755831 | 8681282240845 |
|            | 40   | 10     | 78072755828 | 8681282240821 |
|            | 60   | 10     | 78072755838 | 8681282240883 |
|            | 100  | 10     | 78072756015 | 8681282240937 |
| 100 x 1250 | 24   | 10     | 78072756006 | 8681282240890 |
|            | 36   | 10     | 78072755820 | 8681282240807 |
|            | 40   | 10     | 78072755829 | 8681282240838 |
|            | 60   | 10     | 78072756013 | 8681282240913 |
|            | 80   | 10     | 78072756014 | 8681282240920 |
|            | 120  | 10     | 78072756016 | 8681282240944 |
| 100 x 1500 | 36   | 10     | 78072755826 | 8681282240814 |
|            | 40   | 10     | 78072755832 | 8681282240852 |
|            | 60   | 10     | 78072756019 | 8681282240951 |
|            | 80   | 10     | 78072756020 | 8681282240968 |

Other lengths & widths are available on request. For more information or contact your local sales representative.

## NARROW BELTS 147

SILVER ★★

Aluminium oxide grain and X-weight polycotton backing give these belts good performance, life and flexibility on contoured parts.



| DIM (mm)   | GRIT | PK QTY | ART NO.     | EAN CODE      |
|------------|------|--------|-------------|---------------|
| 100 x 1150 | 24   | 10     | 69957303371 | 8698526206932 |
|            | 36   | 10     | 69957303392 | 8698526255916 |
|            | 40   | 10     | 69957303415 | 8698526256814 |
|            | 60   | 10     | 69957303470 | 8698526259310 |
|            | 80   | 10     | 69957303523 | 8698526261764 |
|            | 100  | 10     | 69957303571 | 8698526291426 |
|            | 120  | 10     | 69957303601 | 8698526266134 |
| 100 x 1250 | 24   | 10     | 69957303374 | 8698526291747 |
|            | 36   | 5      | 69957308527 | 8681282228614 |
|            | 40   | 10     | 69957303420 | 8698526256890 |
|            | 50   | 10     | 69957315006 | 8681282206230 |
|            | 60   | 10     | 69957303478 | 8698526259457 |
|            | 80   | 10     | 69957303527 | 8698526261887 |
|            | 100  | 10     | 69957303575 | 8698526264444 |
|            | 120  | 10     | 69957303605 | 8698526266257 |

Other widths & lengths are available on request. For more information or contact your local sales representative.



## NARROW BELTS 147 SILVER ★★



| DIM (mm)   | GRIT | PK QTY | ART NO.     | EAN CODE      |
|------------|------|--------|-------------|---------------|
| 100 x 7100 | 40   | 10     | 69957314976 | 8681282205738 |
|            | 60   | 10     | 69957303495 | 8698526206680 |
|            | 80   | 10     | 69957303549 | 8698526206673 |
|            | 100  | 10     | 78072711661 | 8681282224586 |
| 150 x 7100 | 40   | 10     | 69957303431 | 8698526257613 |
|            | 50   | 10     | 69957313027 | 8681282220823 |
|            | 60   | 10     | 69957303497 | 8698526206956 |
|            | 80   | 10     | 69957303551 | 8698526263737 |
|            | 100  | 10     | 69957303585 | 8698526265373 |
| 200 x 750  | 24   | 10     | 69957303370 | 8698526255480 |
|            | 36   | 10     | 69957303391 | 8698526255886 |
|            | 40   | 10     | 69957303414 | 8698526256784 |
|            | 50   | 10     | 69957303441 | 8698526257712 |
|            | 60   | 10     | 69957303466 | 8698526259075 |
|            | 80   | 10     | 69957303518 | 8698526261542 |
|            | 100  | 10     | 69957303568 | 8698526264130 |
|            | 120  | 10     | 69957303597 | 8698526265960 |

## GREEN TIGER 847 NARROW BELTS SILVER ★★

High performance aluminium oxide abrasive for all types of metal, aluminium, hard/soft plywood surfaces. Cotton-polyester blend cloth backing, ideal for contour & profile sanding. Long life in wood & metal applications.



| DIM (mm)   | GRIT | PK QTY | ART NO.     | EAN CODE      |
|------------|------|--------|-------------|---------------|
| 50 x 2000  | 36   | 10     | 69957303945 | 8699309137740 |
|            | 40   | 10     | 69957303982 | 8699309004288 |
|            | 60   | 10     | 69957304023 | 8699309038689 |
|            | 80   | 10     | 69957304088 | 8699309041948 |
| 100 x 1150 | 24   | 10     | 69957303927 | 8699309028956 |
|            | 36   | 10     | 69957303940 | 8699309030577 |
|            | 40   | 10     | 69957303969 | 8699309001652 |
|            | 50   | 10     | 69957318982 | 8681282213405 |
|            | 60   | 10     | 69957304009 | 8699309001706 |
|            | 80   | 10     | 69957304072 | 8699309001768 |
|            | 100  | 10     | 69957304127 | 8699309044581 |
|            | 120  | 10     | 69957304168 | 8699309001881 |
| 100 x 1250 | 36   | 10     | 69957303942 | 8699309005308 |
|            | 40   | 10     | 69957303972 | 8699309001300 |
|            | 50   | 10     | 69957303993 | 8699309004196 |
|            | 60   | 10     | 69957304011 | 8699309001713 |
|            | 80   | 10     | 69957304075 | 8699309041269 |
|            | 100  | 10     | 69957304131 | 8699309001836 |
|            | 120  | 10     | 69957304171 | 8699309001898 |
| 100 x 7100 | 36   | 10     | 69957315379 | 8681282235810 |
|            | 40   | 10     | 69957303986 | 8699309035596 |
|            | 60   | 10     | 69957304040 | 8699309090434 |
|            | 80   | 10     | 69957304107 | 8699309090441 |
|            | 100  | 10     | 69957304154 | 8699309046004 |
|            | 120  | 10     | 69957304197 | 8699309048978 |

Other lengths & widths are available on request. For more information or contact your local sales representative.



## GREEN TIGER 847 NARROW BELTS (CONTINUED)

**SILVER**

| DIM (mm)   | GRIT | PK QTY | ART NO.     | EAN CODE      |
|------------|------|--------|-------------|---------------|
| 150 x 7100 | 40   | 10     | 69957303987 | 8699309009641 |
|            | 60   | 10     | 69957304041 | 8699309090120 |
|            | 80   | 10     | 69957304108 | 8699309004400 |
|            | 100  | 10     | 69957304155 | 8699309046035 |
| 200 x 750  | 40   | 10     | 69957303967 | 8699309001645 |
|            | 60   | 10     | 69957304007 | 8699309001690 |
|            | 80   | 10     | 69957304065 | 8699309001751 |
|            | 100  | 10     | 69957304125 | 8699309001812 |
|            | 120  | 10     | 69957304162 | 8699309001874 |

Other lengths & widths are available on request. For more information or contact your local sales representative



## GREEN TIGER NARROW BELTS

**BRONZE**

### ZIRCONIUM

High performance zirconium abrasive for excellent cut rate and product life. Flexible polycotton cloth easily adapts to contours. Can be used on all types of metals, steel, aluminum, iron, wood, plastic, leather and ceramics.



| DIM (mm)   | GRIT | PK QTY | ART NO.     | EAN CODE      |
|------------|------|--------|-------------|---------------|
| 100 x 1250 | 40   | 10     | 78072724272 | 8681282230730 |
|            | 60   | 10     | 78072716905 | 8681282240531 |
|            | 80   | 10     | 78072724273 | 8681282230747 |
|            | 120  | 10     | 78072724274 | 8681282230754 |
| 150 x 7100 | 60   | 10     | 78072747197 | 8681282234820 |
|            | 80   | 10     | 78072747200 | 8681282234837 |
|            | 100  | 10     | 78072746732 | 8681282240722 |
|            | 120  | 10     | 78072746730 | 8681282240715 |

Other lengths & widths are available on request. For more information or contact your local sales representative.



# FLAP WHEELS WITH SPINDLE

## SPINDLE MOUNTED FLAP WHEELS, R207PLUS

BRONZE

A universal wheel for use on steel, stainless steel and to remove paint from plastic and wood. Aluminium oxide grain provides an aggressive cut even with low pressure.



| DIM (mm)         | GRIT | PK QTY | ART NO.     | EAN CODE      |
|------------------|------|--------|-------------|---------------|
| <b>6mm SHAFT</b> |      |        |             |               |
| 20 x 15          | 40   | 20     | 69957301996 | 8698526290986 |
|                  | 50   | 20     | 69957302040 | 8698526295387 |
|                  | 60   | 10     | 69957302051 | 8698526216658 |
|                  | 80   | 20     | 69957302118 | 8698526205591 |
|                  | 100  | 20     | 69957302167 | 8698526218423 |
|                  | 120  | 20     | 69957302190 | 8698526218560 |
| 20 x 25          | 40   | 20     | 69957301998 | 8699309291619 |
|                  | 60   | 20     | 69957302050 | 8699309141068 |
|                  | 80   | 20     | 69957302124 | 8699309099390 |
|                  | 100  | 20     | 69957302169 | 8699309137696 |
|                  | 120  | 20     | 69957302189 | 8699309141075 |
| 25 x 15          | 40   | 20     | 69957302001 | 8699309134909 |
|                  | 50   | 20     | 69957302042 | 8699309173984 |
|                  | 60   | 20     | 69957302055 | 8698526216672 |
|                  | 80   | 20     | 69957302120 | 8698526218249 |
|                  | 100  | 20     | 69957302170 | 8698526294151 |
|                  | 120  | 20     | 69957302191 | 8698526298210 |
| 25 x 20          | 40   | 20     | 69957302002 | 8698526294212 |
|                  | 60   | 20     | 69957302058 | 8698526216696 |
|                  | 80   | 20     | 69957302121 | 8698526218256 |
|                  | 100  | 20     | 69957302171 | 8699309106821 |
| 30 x 15          | 40   | 20     | 69957302007 | 8698526201616 |
|                  | 50   | 20     | 69957314690 | 8681282214402 |
|                  | 60   | 10     | 69957302066 | 8698526201852 |
|                  | 80   | 20     | 69957302128 | 8698526202057 |
|                  | 100  | 20     | 69957302173 | 8698526202309 |
|                  | 120  | 20     | 69957302197 | 8698526202460 |
|                  | 150  | 20     | 69957302228 | 8698526202675 |
| 30 x 20          | 40   | 20     | 69957302009 | 8698526201623 |
|                  | 60   | 20     | 69957302067 | 8698526201869 |
|                  | 80   | 20     | 69957302129 | 8698526202064 |
|                  | 100  | 20     | 69957302174 | 8698526218454 |
|                  | 120  | 20     | 69957302198 | 8698526202477 |
| 30 x 30          | 40   | 10     | 69957302012 | 8699309101864 |
|                  | 60   | 20     | 69957302068 | 8698526201876 |
|                  | 80   | 20     | 69957302131 | 8698526202071 |
|                  | 120  | 20     | 69957302200 | 8699309169512 |







## SPINDLE MOUNTED FLAP WHEELS, R207PLUS (CONTINUED)

**BRONZE**

| DIM (mm)         | GRIT | PK QTY | ART NO.     | EAN CODE      |
|------------------|------|--------|-------------|---------------|
| <b>6mm SHAFT</b> |      |        |             |               |
| 40 x 15          | 40   | 20     | 69957302015 | 8698526201630 |
|                  | 50   | 20     | 69957302045 | 8698526201777 |
|                  | 60   | 20     | 69957302076 | 8698526201890 |
|                  | 80   | 20     | 69957302136 | 8698526202095 |
| 40 x 20          | 40   | 20     | 69957302016 | 8698526201647 |
|                  | 50   | 20     | 69957314692 | 8681282205257 |
|                  | 60   | 20     | 69957302077 | 8698526201906 |
|                  | 80   | 20     | 69957302137 | 8698526202101 |
|                  | 100  | 20     | 69957302177 | 8698526202330 |
|                  | 120  | 20     | 69957302204 | 8698526202507 |
| 40 x 30          | 150  | 20     | 69957302230 | 8698526202699 |
|                  | 40   | 20     | 69957302020 | 8698526201654 |
|                  | 50   | 10     | 69957302046 | 8698526294892 |
|                  | 60   | 10     | 69957302081 | 8698526201913 |
|                  | 80   | 20     | 69957302140 | 8698526202125 |
|                  | 100  | 20     | 69957302178 | 8698526202347 |
| 50 x 30          | 120  | 20     | 69957302206 | 8698526202521 |
|                  | 40   | 20     | 69957302027 | 8698526201685 |
|                  | 60   | 20     | 69957302092 | 8698526201951 |
|                  | 80   | 20     | 69957302150 | 8698526202170 |
|                  | 100  | 20     | 69957302181 | 8698526202378 |
| 60 x 15          | 120  | 20     | 69957302212 | 8698526202583 |
|                  | 40   | 10     | 69957302029 | 8698526201692 |
|                  | 60   | 10     | 69957302097 | 8698526201975 |
|                  | 80   | 10     | 69957302153 | 8698526202194 |
| 60 x 20          | 120  | 10     | 69957302215 | 8698526202590 |
|                  | 40   | 10     | 69957302030 | 8698526201708 |
|                  | 60   | 10     | 69957302098 | 8698526201982 |
|                  | 80   | 10     | 69957302154 | 8698526202200 |
| 60 x 30          | 100  | 10     | 69957302183 | 8698526202392 |
|                  | 40   | 10     | 69957302031 | 8698526201715 |
|                  | 60   | 10     | 69957302101 | 8698526201999 |
|                  | 80   | 10     | 69957302156 | 8698526202224 |
| 60 x 40          | 100  | 10     | 69957302184 | 8698526202408 |
|                  | 120  | 10     | 69957302218 | 8698526202613 |
|                  | 40   | 10     | 69957302032 | 8698526201722 |
|                  | 60   | 10     | 69957302102 | 8698526202002 |
|                  | 100  | 10     | 69957302185 | 8698526202415 |
| 80 x 30          | 40   | 10     | 69957302037 | 8698526201746 |
|                  | 60   | 10     | 69957302111 | 8698526202019 |
|                  | 80   | 10     | 69957302164 | 8698526202262 |
|                  | 120  | 10     | 78072729393 | 8681282240616 |

# FLAP WHEELS WITH FLANGES

## FLANGE MOUNTED FLAP WHEELS R207PLUS

BRONZE

A universal wheel for use on steel, stainless steel and to remove paint from plastic and wood. Aluminium oxide grain provides an aggressive cut even with low pressure.



| DIM (mm)              | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------------------|------|--------|-------------|---------------|
| <b>SATINEX WHEELS</b> |      |        |             |               |
| 100 x 100 x 19        | 40   | 1      | 69957302417 | 8698526291631 |
|                       | 60   | 1      | 69957302420 | 8698526293277 |
|                       | 80   | 1      | 69957302426 | 8698526299040 |

| DIM (mm)               | GRIT | PK QTY | ART NO.     | EAN CODE      |
|------------------------|------|--------|-------------|---------------|
| <b>M14 FLAP WHEELS</b> |      |        |             |               |
| 115 x 20 x M14         | 40   | 5      | 78072705424 | 8681282230396 |
|                        | 60   | 5      | 78072705425 | 8681282222018 |
|                        | 80   | 5      | 77696094995 | 8681282215232 |
|                        | 120  | 5      | 77696094998 | 8681282215225 |

| DIM (mm)                          | GRIT | PK QTY | ART NO.     | EAN CODE      |
|-----------------------------------|------|--------|-------------|---------------|
| <b>FLANGE MOUNTED FLAP WHEELS</b> |      |        |             |               |
| 165 x 30 x 44                     | 40   | 1      | 69957302475 | 8698526219895 |
|                                   | 60   | 1      | 69957302488 | 8698526203986 |
|                                   | 80   | 1      | 69957302498 | 8698526204037 |
|                                   | 120  | 1      | 69957302509 | 8698526220037 |
|                                   | 150  | 1      | 69957302515 | 8698526204174 |
| 165 x 50 x 44                     | 40   | 1      | 69957302477 | 8698526203948 |
|                                   | 50   | 1      | 69957302484 | 8698526203955 |
|                                   | 60   | 1      | 69957302489 | 8698526203993 |
|                                   | 80   | 1      | 69957302499 | 8698526204044 |
|                                   | 100  | 1      | 69957302505 | 8698526204105 |
|                                   | 120  | 1      | 69957302510 | 8698526204143 |
|                                   | 150  | 1      | 69957302516 | 8698526204181 |
|                                   | 180  | 1      | 69957302522 | 8698526204211 |
| 200 x 50 x 44                     | 60   | 1      | 69957302492 | 8698526226688 |
|                                   | 80   | 1      | 69957302501 | 8698526292386 |
|                                   | 100  | 1      | 69957302506 | 8698526204112 |
|                                   | 180  | 20     | 69957302523 | 8698526291648 |
| 250 x 50 x 44                     | 80   | 1      | 69957302500 | 8698526226725 |
|                                   | 150  | 1      | 69957302518 | 8698526204198 |
|                                   | 180  | 1      | 69957302524 | 8698526204228 |
|                                   | 220  | 10     | 69957302526 | 8698526204259 |

| DIM (mm)             | GRIT | PK QTY | ART NO.     | EAN CODE      |
|----------------------|------|--------|-------------|---------------|
| <b>FOLDED WHEELS</b> |      |        |             |               |
| 160 x 20             | 60   | 10     | 69957302331 | 8699309103011 |
|                      | 80   | 5      | 69957302332 | 8699309103028 |
|                      | 100  | 5      | 78072741210 | 8681282232543 |

# NON-WOVEN DISCS FOR ANGLE GRINDERS



## ATLAS SURFACE CONDITIONING DISC

SILVER ★★

Consists of high-performance enhanced abrasive grain for aggressive action for deburring, rapid light stock removal, whilst finishing the process in a shorter time and increasing the quality of the part. Combines 2 steps of cutting power with acceptable finishing level in 1 action. It gives the best results at 6000rpm. ideal for Stainless steel (INOX) applications.



| DIM (mm)         | PK QTY | ART NO.     | EAN CODE      |
|------------------|--------|-------------|---------------|
| 115 x 22,23 x 12 | 10     | 78072756234 | 8681282240999 |

## ATLAS FINISHING DISC

SILVER ★★

Fine silicon carbide grains combine with its flexible structure to provide a controlled and smooth finishing. Steel, stainless steel and non-ferrous materials. It is a great option for a fine or satin finish on metals. Reduce grinder speed to approx. 6000 RPM for optimal results.



| DIM (mm)    | PK QTY | ART NO.     | EAN CODE      |
|-------------|--------|-------------|---------------|
| 115 x 22,23 | 10     | 78072756233 | 8681282240982 |

## ATLAS DISC FOR CLEANING

SILVER ★★

Aluminum oxide flexible disc. Deburring, casting cleaning, rust & dirt removal, cleaning surface defects. Preferred for cleaning different angles or shapes without tearing or chunking. With its solid resin and premium aluminum oxide minerals, it provides aggressive cutting without surface burning. Ideal combination of flexibility, conformability and durability.



| DIM (mm)    | PK QTY | ART NO.     | EAN CODE      |
|-------------|--------|-------------|---------------|
| 115 x 22,23 | 10     | 78072756231 | 8681282240975 |

## ATLAS RUST REMOVER CERAMIC MINERAL DISC

SILVER ★★

Versatile, high-grade ceramic made from ceramic abrasive grains and an abrasive substrate performance disk. Welding, cleaning, deburring, etc. with a single application rust-removing ceramic disc that gives very good results in applications.



| DIM (mm) | PK QTY | ART NO.     | EAN CODE      |
|----------|--------|-------------|---------------|
| 100 x 13 | 5      | 66261116976 | 8711479948640 |

Use with mandrel 7660707022 to mount on Straight Grinder.





# CARBIDE BURRS


|                           |    |
|---------------------------|----|
| Understanding the product | 52 |
| Application by shape      | 53 |
| Product recommendation    | 53 |
| Carbide burrs             | 54 |



# UNDERSTANDING THE PRODUCT

## CARBIDE BURRS

### DIMENSIONS & DESCRIPTION



|                      |   |                    |   |                                                           |                   |
|----------------------|---|--------------------|---|-----------------------------------------------------------|-------------------|
| 16,0                 | x | 25,0               | x | 60L65                                                     | CUT STYLE & SHAPE |
| D1                   |   | L1                 |   | D2 + L2                                                   |                   |
| Diameter of the head |   | Length of the head |   | Diameter of the shank and overall Length of the burr (OL) | Shape of the head |

### CUT STYLES



#### DC - DOUBLE CUT

Universal cutting, fast material removal, smooth finish and granular chip break of stainless steel, steel, cast iron, titanium, nickel and cobalt alloys.




#### ALU ALUMINIUM

For deburring of aluminium, aluminium alloys & plastic, wide tooth formation for easy chip flow.

## APPLICATION BY SHAPE



A CYLINDER



B CYLINDER WITH END CUT



C BALL NOSED CYLINDER



E OVAL



F BALL NOSED TREE



G TREE



L BALL NOSED CONE

## PRODUCT RECOMENDATION

|                      | DC (DOUBLE CUT) | ALU CUT |
|----------------------|-----------------|---------|
| STAINLESS STEEL      | **              |         |
| CARBON STEEL         | ***             |         |
| CAST IRON            | **              |         |
| TITANIUM             | ***             |         |
| NICKEL               | ***             |         |
| COOPER/COOPER ALLOYS | ***             |         |
| ALUMINIUM            |                 | ***     |
| PLASTIC/WOOD         |                 | ***     |



# CARBIDE BURRS

BRONZE



Different burr shapes are available to suit a variety of geometries and applications. They offer fast stock removal and long life for great efficiency.

| D1 x L1 x D2 x L2 (mm) | PK QTY | DC          |               | ALU         |               |
|------------------------|--------|-------------|---------------|-------------|---------------|
|                        |        | ART NO.     | EAN CODE      | ART NO.     | EAN CODE      |
| SHAPE A                |        |             |               |             |               |
| 12 x 25 x 60 x 70      | 1      | 78072754911 | 8681282236527 | -           | -             |
| SHAPE B                |        |             |               |             |               |
| 12 x 25 x 60 x 70      | 1      | 78072754912 | 8681282236534 | -           | -             |
| SHAPE C                |        |             |               |             |               |
| 6 x 19 x 60 x 50       | 1      | 78072754908 | 8681282236671 | -           | -             |
| 8 x 19 x 60 x 64       | 1      | 78072754913 | 8681282236541 | -           | -             |
| 10 x 20 x 60 x 65      | 1      | 78072754914 | 8681282236558 | -           | -             |
| 12 x 25 x 60 x 70      | 1      | 78072754916 | 8681282236565 | 78072754917 | 8681282236572 |
| SHAPE E                |        |             |               |             |               |
| 12 x 22 x 60 x 67      | 1      | 78072754918 | 8681282236589 | -           | -             |
| SHAPE F                |        |             |               |             |               |
| 10 x 20 x 60 x 65      | 1      | 78072754919 | 8681282236596 | -           | -             |
| 12 x 25 x 60 x 70      | 1      | 78072754920 | 8681282236602 | 78072754922 | 8681282236626 |
| 16 x 25 x 60 x 70      | 1      | 78072754921 | 8681282236619 | -           | -             |
| SHAPE G                |        |             |               |             |               |
| 6 x 16 x 60 x 50       | 1      | 78072754923 | 8681282236633 | -           | -             |
| 8 x 19 x 60 x 64       | 1      | 78072754924 | 8681282236640 | -           | -             |
| 12 x 25 x 60 x 70      | 1      | 78072754925 | 8681282236657 | -           | -             |
| SHAPE L                |        |             |               |             |               |
| 12 x 30 x 60 x 75      | 1      | 78072754926 | 8681282236664 | -           | -             |



# DIAMOND BLADES

|                           |    |
|---------------------------|----|
| Understanding the product | 56 |
| Application colour coding | 56 |
| Pictograms                | 57 |
| Diamond blades            | 58 |



# UNDERSTANDING THE PRODUCT

## DIAMOND BLADES

- 1 APPLICATION PICTOGRAMS
- 2 MATERIALS
- 3 PRODUCT DIMENSIONS
- 4 MAXIMUM SPEED
- 5 SAFETY SYMBOLS
- 6 PRODUCT CODE
- 7 SCANNABLE EAN CODE



## APPLICATION COLOUR CODING



### SELECTING THE RIGHT PRODUCT


The Atlas product line contains a wide range of diamond blades suitable for many different applications, in sizes ranging from 115mm to 350mm diameter, for use with Angle Grinder, Petrol Saw, Masonry Saw, Tile Saw, and Floor Saws. When choosing a diamond blade, it is important to carefully consider the material to be cut as using the blade for its specific purpose prolongs the life and cutting speed.

# PICTOGRAMS


## APPLICATION PICTOGRAMS




Roof Tiles




Ceramic and  
Porcelain Tiles




Bricks, Building  
Materials



Reinforced  
Concrete



Asphalt



Paving

## MACHINE PICTOGRAMS



Angle Grinder



Petrol Saw



Masonry Saw



Tile Saw



Floor Saws

## SAFETY PICTOGRAMS



Wear ear  
protection



Wear protective  
gloves



Wear a mask



Wear eye  
protection



Refer to instruction  
manual/booklet



Only permitted for grinding  
at an angle greater  
than 10°



Do not use  
for face grinding



Do not use  
if damaged



Do not use with  
hand-held grinding  
machine

All ATLAS diamond blades conform to the highest European safety standard, EN13236, which ensures that all products are manufactured and tested to the highest quality.




## CERAMIC TILES

BRONZE ★

**Description:** Diamond blades featuring a continuous rim offering a good finish of cut.

**Application:** Ceramic and porcelain tiles.



| DIMENSIONS<br>DIA x H x T x BORE (mm) | PK QTY | ART NO.     | EAN CODE      |
|---------------------------------------|--------|-------------|---------------|
| 115 x 5 x 1.7 x 22.23                 | 1      | 70184614173 | 5450248226574 |
| 125 x 5 x 1.7 x 22.23                 | 1      | 70184614174 | 5450248226581 |
| 150 x 5 x 1.7 x 22.23                 | 1      | 70184625499 | 5450248346098 |
| 180 x 7 x 1.7 x 25.4/22.23            | 1      | 70184622956 | 5450248232643 |

## UNIVERSAL

BRONZE ★

**Description:** Segmented diamond blades.

**Application:** Building materials like bricks, pavers and other soft to medium hardness concrete building blocks.



| DIMENSIONS<br>DIA x H x T x BORE (mm) | PK QTY | ART NO.     | EAN CODE      |
|---------------------------------------|--------|-------------|---------------|
| 115 x 7 x 2 x 22.23                   | 1      | 70184614167 | 5450248226512 |
| 125 x 7 x 2 x 22.23                   | 1      | 70184614168 | 5450248226529 |
| 150 x 7 x 2.2 x 22.23                 | 1      | 70184621134 | 5450248231028 |
| 180 x 7 x 2.3 x 22.23                 | 1      | 70184614169 | 5450248226536 |
| 230 x 7 x 2.5 x 22.23                 | 1      | 70184614170 | 5450248226543 |
| 300 x 7 x 2.9 x 20                    | 1      | 70184614171 | 5450248226550 |
| 350 x 7 x 3.0 x 25.4                  | 1      | 70184614187 | 5450248226710 |

## UNIVERSAL TURBO

BRONZE ★

**Description:** Diamond blades featuring a corrugated Turbo continuous rim offering a good finish of cut.

**Application:** Building materials like bricks, pavers and other soft, medium and even hard concrete building blocks. These blades are ideal for roof tiles that need a good finish of the cut.



| DIMENSIONS<br>DIA x H x T x BORE (mm) | PK QTY | ART NO.     | EAN CODE      |
|---------------------------------------|--------|-------------|---------------|
| 115 x 7 x 2.2 x 22.23                 | 1      | 70184614175 | 5450248226598 |
| 125 x 7 x 2.2 x 22.23                 | 1      | 70184614176 | 5450248226604 |
| 150 x 7 x 2.2 x 22.23                 | 1      | 70184623169 | 5450248233183 |
| 180 x 7 x 2.5 x 22.23                 | 1      | 70184614177 | 5450248226611 |
| 230 x 7 x 2.6 x 22.23                 | 1      | 70184614178 | 5450248226628 |
| 300 x 7 x 3.2 x 20                    | 1      | 70184614179 | 5450248226635 |
| 350 x 7 x 3.2 x 25.4                  | 1      | 70184614188 | 5450248226727 |

## UNIVERSAL MS SILVER ★★ ~~LASER~~

**Description:** Laser-welded diamond blade.

**Application:** Building materials like bricks, pavers and concrete slabs. This blade is designed to be used on masonry saws.





| DIMENSIONS<br>DIA x H x T x BORE (mm) | PK QTY | ART NO.     | EAN CODE      |
|---------------------------------------|--------|-------------|---------------|
| 350 x 10 x 2.8 x 25.4                 | 1      | 70184622139 | 5450248232155 |

## UNIVERSAL TP65 BRONZE ★

**Description:** Segmented diamond blade with 6,5mm thick segments.

**Application:** Removing of mortar joints between the bricks of a wall or between floor pavers.



| DIMENSIONS<br>DIA x H x T x BORE (mm) | PK QTY | ART NO.     | EAN CODE      |
|---------------------------------------|--------|-------------|---------------|
| 115 x 6.5 x 6.5 x 22.23               | 1      | 70184623589 | 5450248330769 |
| 125 x 6.5 x 6.5 x 22.23               | 1      | 70184625554 | 5450248346197 |

## LASER SILVER ★★ ~~LASER~~

**Description:** Laser-welded diamond blades.

**Application:** Building materials like bricks, pavers and other concrete building blocks, reinforced concrete.



| DIMENSIONS<br>DIA x H x T x BORE (mm) | PK QTY | ART NO.     | EAN CODE      |
|---------------------------------------|--------|-------------|---------------|
| 115 x 7 x 2 x 22.23                   | 1      | 70184614181 | 5450248226659 |
| 125 x 7 x 2.2 x 22.23                 | 1      | 70184614182 | 5450248226666 |
| 150 x 7 x 2.2 x 22.23                 | 1      | 70184621847 | 5450248231844 |
| 180 x 7 x 2.4 x 22.23                 | 1      | 70184614183 | 5450248226673 |
| 230 x 7 x 2.5 x 22.23                 | 1      | 70184614184 | 5450248226680 |
| 350 x 7 x 2.8 x 20                    | 1      | 70184614186 | 5450248226703 |
| 350 x 7 x 2.8 x 25.4                  | 1      | 70184614189 | 5450248226734 |



## LASER TURBO

SILVER



~~LASER~~

**Description:** Laser-welded diamond blades with corrugated Turbo segments.

**Application:** Building materials like bricks, pavers and other concrete building blocks, reinforced concrete, natural stones and other hard materials.



| DIMENSIONS<br>DIA x H x T x BORE (mm) | PK QTY | ART NO.     | EAN CODE      |
|---------------------------------------|--------|-------------|---------------|
| 230 x 10 x 2.6 x 22.23                | 1      | 70184626957 | 5450248371625 |
| 350 x 10 x 3.2 x 20                   | 1      | 70184626960 | 5450248371649 |
| 350 x 10 x 3.2 x 25.4                 | 1      | 70184626961 | 5450248371656 |

## ASPHALT

SILVER



~~LASER~~

**Description:** Laser-welded diamond blades.

**Application:** Asphalt, green concrete and abrasive materials.



| DIMENSIONS<br>DIA x H x T x BORE (mm) | PK QTY | ART NO.     | EAN CODE      |
|---------------------------------------|--------|-------------|---------------|
| 300 x 8 x 2.5 x 20                    | 1      | 70184620292 | 5450248230274 |
| 350 x 8 x 2.8 x 25.4                  | 1      | 70184620294 | 5450248230267 |


## UNIVERSAL CG2

BRONZE



**Description:** Diamond cup grinder with a double row of segments.

**Application:** Surfacing and grinding of building materials and concrete. The large segment surface provides a smooth finish.



| DIMENSIONS<br>DIA x H x BORE (mm) | PK QTY | ART NO.     | EAN CODE      |
|-----------------------------------|--------|-------------|---------------|
| 100 x 7 x 22.23/16                | 1      | 70184620526 | 5450248230229 |
| 125 x 7 x 22.23/16                | 1      | 70184614191 | 5450248227250 |


## UNIVERSAL CG SLANT

BRONZE



**Description:** Diamond cup grinder with slant segments.

**Application:** Surfacing and grinding of building materials and concrete. The reduced segment surface makes the cup more aggressive on harder materials.



| DIMENSIONS<br>DIA x H x BORE (mm) | PK QTY | ART NO.     | EAN CODE      |
|-----------------------------------|--------|-------------|---------------|
| 125 x 5 x 22.23                   | 1      | 70184630374 | 5450248414926 |

## NOTES

## NOTES





Saint-Gobain Abrasives  
Unicorn House  
Unit 1, Amison Close  
Redhill Business Park  
Stafford  
ST16 1WB  
United Kingdom  
Tel: +44 1785 279553  
[www.atlasabrasives.com](http://www.atlasabrasives.com)



A SAINT-GOBAIN BRAND

[www.atlasabrasives.com](http://www.atlasabrasives.com)

Form # 4275

810063380

  
Sustainable European Abrasive Manufacturers